

APPENDIX H
Noise Data

Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Existing
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Alessandro Blvd		
Road Segment:	East of Mission Grove Pkwy		

PROJECT DATA

Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**

Rt View: **90** Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA

Road Grade:	0
Average Daily Traffic:	43370
Peak Hour Traffic:	**4337**
Vehicle Speed:	50
Centerline Separation:	65

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	60.2	69.0	67.2	61.1	69.8	70.4
Medium Trucks:	67.9	59.8	53.5	51.9	60.4	60.6
Heavy Trucks:	72.1	60.2	51.1	52.4	61.8	61.9
Vehicle Noise:	**74.4**	**70.1**	**67.5**	**62.2**	**70.8**	**71.3**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR

Unmitigated	
60 dBA	1749
65 dBA	553
70 dBA	175
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Existing
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Alessandro Blvd		
Road Segment:	North of Via Vista		

PROJECT DATA

Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**

Rt View: **90** Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA

Road Grade:	0
Average Daily Traffic:	50200
Peak Hour Traffic:	**5020**
Vehicle Speed:	50
Centerline Separation:	50

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	61.1	69.9	68.1	62.0	70.6	71.2
Medium Trucks:	68.7	60.7	54.3	52.7	61.2	61.4
Heavy Trucks:	73.0	61.0	52.0	53.2	62.6	62.7
Vehicle Noise:	**75.3**	**70.9**	**68.4**	**63.1**	**71.7**	**72.2**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR

Unmitigated	
60 dBA	2028
65 dBA	641
70 dBA	203
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Existing
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Alessandro Blvd		
Road Segment:	West of Sycamore Canyon		

PROJECT DATA

Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**

Rt View: **90** Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA

Road Grade:	0
Average Daily Traffic:	43400
Peak Hour Traffic:	**4340**
Vehicle Speed:	55
Centerline Separation:	60

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	61.5	70.3	68.5	62.4	71.1	71.7
Medium Trucks:	68.6	60.6	54.2	52.6	61.1	61.3
Heavy Trucks:	72.6	60.6	51.6	52.8	62.1	62.2
Vehicle Noise:	**74.9**	**71.2**	**68.7**	**63.3**	**71.9**	**72.5**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR

Unmitigated	
60 dBA	2229
65 dBA	705
70 dBA	223
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Existing
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Arlington Avenue		
Road Segment:	East of Brockton Ave		

PROJECT DATA		SITE DATA	
Centerline Dist to Barrier	**0**	Road Grade:	0
Barrier (0=wall, 1= berm):	**0**	Average Daily Traffic:	22800
Receiver Barrier Dist:	**0**	Peak Hour Traffic:	**2280**
Centerline Dist. To Observer:	**100**	Vehicle Speed:	40
Barrier Near Lane CL Dist:	**0**	Centerline Separation:	32
Barrier Far lane CL Dist:	**0**	**NOISE INPUTS**	
Pad Elevation:	**0.5**	Site conditions **HARD SITE**	
Road Elevation:	**0**	**FLEET MIX**	
Observer Height (above grade):	**0**		
Barrier Height:	**0**		
Rt View: **90**	Lft View: **-90**		

NOISE SOURCE ELEVATIONS (Feet)	
Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	55.1	63.9	62.1	56.0	64.7	65.3
Medium Trucks:	64.1	56.0	49.6	48.1	56.5	56.8
Heavy Trucks:	68.9	57.0	47.9	49.2	58.9	59.0
Vehicle Noise:	**71.3**	**65.5**	**62.6**	**57.6**	**66.2**	**66.7**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR	
Unmitigated	
60 dBA	535
65 dBA	169
70 dBA	53
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Existing
Analyst:	Ryan Richards	Job #:	158820
Roadway:	California Ave.		
Road Segment:	East of Adams St.		

PROJECT DATA

Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**

Rt View: **90** Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA

Road Grade:	0
Average Daily Traffic:	15400
Peak Hour Traffic:	**1540**
Vehicle Speed:	40
Centerline Separation:	36

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	53.4	62.1	60.4	54.3	62.9	63.5
Medium Trucks:	62.3	54.2	47.9	46.3	54.8	55.0
Heavy Trucks:	67.2	55.2	46.2	47.4	57.1	57.2
Vehicle Noise:	**69.5**	**63.7**	**60.8**	**55.8**	**64.4**	**64.9**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR

Unmitigated	
60 dBA	361
65 dBA	114
70 dBA	36
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Existing
Analyst:	Ryan Richards	Job #:	158820
Roadway:	California Ave.		
Road Segment:	East of Van Buren Blvd.		

PROJECT DATA

Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**

Rt View: **90** Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA

Road Grade:	0
Average Daily Traffic:	14800
Peak Hour Traffic:	**1480**
Vehicle Speed:	40
Centerline Separation:	36

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	53.2	62.0	60.2	54.1	62.7	63.4
Medium Trucks:	62.1	54.1	47.7	46.1	54.6	54.8
Heavy Trucks:	67.0	55.1	46.0	47.2	56.9	57.1
Vehicle Noise:	**69.4**	**63.5**	**60.6**	**55.7**	**64.3**	**64.7**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR

Unmitigated	
60 dBA	347
65 dBA	110
70 dBA	35
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Existing
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Chicago Ave		
Road Segment:	North of Spruce St.		

PROJECT DATA

Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**

Rt View: **90** Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA

Road Grade:	0
Average Daily Traffic:	12200
Peak Hour Traffic:	**1220**
Vehicle Speed:	45
Centerline Separation:	42

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	53.7	62.5	60.7	54.6	63.3	63.9
Medium Trucks:	62.0	53.9	47.6	46.0	54.5	54.7
Heavy Trucks:	66.5	54.6	45.5	46.8	56.3	56.4
Vehicle Noise:	**68.9**	**63.8**	**61.1**	**55.9**	**64.5**	**65.0**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR

Unmitigated	
60 dBA	379
65 dBA	120
70 dBA	38
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Existing
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Indiana Ave.		
Road Segment:	East of Harrison St.		

PROJECT DATA

Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**

Rt View: **90** Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA

Road Grade:	0
Average Daily Traffic:	9600
Peak Hour Traffic:	**960**
Vehicle Speed:	40
Centerline Separation:	36

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	51.3	60.1	58.3	52.2	60.9	61.5
Medium Trucks:	60.3	52.2	45.8	44.2	52.7	53.0
Heavy Trucks:	65.1	53.2	44.1	45.3	55.0	55.2
Vehicle Noise:	**67.5**	**61.7**	**58.7**	**53.8**	**62.4**	**62.9**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR

Unmitigated	
60 dBA	225
65 dBA	71
70 dBA	22
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Existing
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Jackson St.		
Road Segment:	North of Indiana Ave.		

PROJECT DATA

Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**

Rt View: **90** Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA

Road Grade:	0
Average Daily Traffic:	11500
Peak Hour Traffic:	**1150**
Vehicle Speed:	40
Centerline Separation:	42

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	52.0	60.8	59.0	52.9	61.6	62.2
Medium Trucks:	61.0	52.9	46.5	44.9	53.4	53.7
Heavy Trucks:	65.8	53.9	44.8	46.0	55.7	55.9
Vehicle Noise:	**68.2**	**62.4**	**59.4**	**54.5**	**63.1**	**63.5**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR

Unmitigated	
60 dBA	269
65 dBA	85
70 dBA	27
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Existing
Analyst:	Ryan Richards	Job #:	158820
Roadway:	La Sierra Ave.		
Road Segment:	Magnolia Ave. to Collett Ave.		

PROJECT DATA

Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**
Rt View: **90**	Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA

Road Grade:	0
Average Daily Traffic:	23400
Peak Hour Traffic:	**2340**
Vehicle Speed:	40
Centerline Separation:	50

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	55.0	63.7	62.0	55.9	64.5	65.1
Medium Trucks:	63.9	55.9	49.5	47.9	56.4	56.6
Heavy Trucks:	68.8	56.8	47.8	49.0	58.7	58.8
Vehicle Noise:	**71.1**	**65.3**	**62.4**	**57.5**	**66.0**	**66.5**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR

Unmitigated	
60 dBA	548
65 dBA	173
70 dBA	55
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Existing
Analyst:	Ryan Richards	Job #:	158820
Roadway:	La Sierra Ave.		
Road Segment:	North of Cypress Ave.		

PROJECT DATA

Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**

Rt View: **90** Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA

Road Grade:	0
Average Daily Traffic:	14600
Peak Hour Traffic:	**1460**
Vehicle Speed:	45
Centerline Separation:	50

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	54.4	63.2	61.4	55.3	63.9	64.6
Medium Trucks:	62.7	54.6	48.2	46.6	55.1	55.4
Heavy Trucks:	67.2	55.3	46.2	47.4	57.0	57.1
Vehicle Noise:	**69.5**	**64.5**	**61.7**	**56.6**	**65.2**	**65.7**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR

Unmitigated	
60 dBA	454
65 dBA	144
70 dBA	45
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Existing
Analyst:	Ryan Richards	Job #:	158820
Roadway:	La Sierra Ave.		
Road Segment:	North of Pierce St.		

PROJECT DATA

Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**

Rt View: **90** Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA

Road Grade:	0
Average Daily Traffic:	24900
Peak Hour Traffic:	**2490**
Vehicle Speed:	40
Centerline Separation:	50

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	55.2	64.0	62.2	56.1	64.8	65.4
Medium Trucks:	64.2	56.1	49.7	48.2	56.7	56.9
Heavy Trucks:	69.0	57.1	48.0	49.3	59.0	59.1
Vehicle Noise:	**71.4**	**65.6**	**62.7**	**57.7**	**66.3**	**66.8**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR

Unmitigated	
60 dBA	584
65 dBA	185
70 dBA	58
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Existing
Analyst:	Ryan Richards	Job #:	158820
Roadway:	La Sierra Ave.		
Road Segment:	North of SR-91		

PROJECT DATA

Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**

Rt View: **90** Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA

Road Grade:	0
Average Daily Traffic:	34500
Peak Hour Traffic:	**3450**
Vehicle Speed:	45
Centerline Separation:	50

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	58.1	66.9	65.1	59.0	67.7	68.3
Medium Trucks:	66.4	58.3	52.0	50.4	58.9	59.1
Heavy Trucks:	70.9	59.0	49.9	51.1	60.7	60.8
Vehicle Noise:	**73.3**	**68.2**	**65.5**	**60.3**	**68.9**	**69.4**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR

Unmitigated	
60 dBA	1072
65 dBA	339
70 dBA	107
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Existing
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Lincoln Ave		
Road Segment:	West of Monroe St.		

PROJECT DATA

Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**
Rt View: **90**	Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA

Road Grade:	0
Average Daily Traffic:	7400
Peak Hour Traffic:	**740**
Vehicle Speed:	45
Centerline Separation:	36

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	51.7	60.4	58.6	52.6	61.2	61.8
Medium Trucks:	59.9	51.9	45.5	43.9	52.4	52.6
Heavy Trucks:	64.4	52.5	43.5	44.7	54.2	54.3
Vehicle Noise:	**66.8**	**61.7**	**59.0**	**53.9**	**62.5**	**63.0**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR

Unmitigated	
60 dBA	230
65 dBA	73
70 dBA	23
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Existing
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Magnolia Ave.		
Road Segment:	East of Harrison St.		

PROJECT DATA

Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**

Rt View: **90** Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA

Road Grade:	0
Average Daily Traffic:	28700
Peak Hour Traffic:	**2870**
Vehicle Speed:	40
Centerline Separation:	50

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	55.9	64.6	62.8	56.8	65.4	66.0
Medium Trucks:	64.8	56.7	50.4	48.8	57.3	57.5
Heavy Trucks:	69.7	57.7	48.7	49.9	59.6	59.7
Vehicle Noise:	**72.0**	**66.2**	**63.3**	**58.3**	**66.9**	**67.4**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR

Unmitigated	
60 dBA	673
65 dBA	213
70 dBA	67
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Existing
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Magnolia Ave.		
Road Segment:	East of Jackson St.		

PROJECT DATA		SITE DATA	
Centerline Dist to Barrier	**0**	Road Grade:	0
Barrier (0=wall, 1= berm):	**0**	Average Daily Traffic:	19400
Receiver Barrier Dist:	**0**	Peak Hour Traffic:	**1940**
Centerline Dist. To Observer:	**100**	Vehicle Speed:	40
Barrier Near Lane CL Dist:	**0**	Centerline Separation:	50
Barrier Far lane CL Dist:	**0**	**NOISE INPUTS**	
Pad Elevation:	**0.5**	Site conditions **HARD SITE**	
Road Elevation:	**0**	**FLEET MIX**	
Observer Height (above grade):	**0**		
Barrier Height:	**0**		
Rt View: **90**	Lft View: **-90**		

NOISE SOURCE ELEVATIONS (Feet)	
Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	54.2	62.9	61.1	55.1	63.7	64.3
Medium Trucks:	63.1	55.0	48.7	47.1	55.6	55.8
Heavy Trucks:	68.0	56.0	47.0	48.2	57.9	58.0
Vehicle Noise:	**70.3**	**64.5**	**61.6**	**56.6**	**65.2**	**65.7**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR	
Unmitigated	
60 dBA	455
65 dBA	144
70 dBA	46
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Existing
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Magnolia Ave.		
Road Segment:	South of Jurupa Ave.		

PROJECT DATA		SITE DATA	
Centerline Dist to Barrier	**0**	Road Grade:	0
Barrier (0=wall, 1= berm):	**0**	Average Daily Traffic:	19600
Receiver Barrier Dist:	**0**	Peak Hour Traffic:	**1960**
Centerline Dist. To Observer:	**100**	Vehicle Speed:	35
Barrier Near Lane CL Dist:	**0**	Centerline Separation:	36
Barrier Far lane CL Dist:	**0**		
Pad Elevation:	**0.5**		
Road Elevation:	**0**		
Observer Height (above grade):	**0**		
Barrier Height:	**0**		
Rt View: **90**	Lft View: **-90**		

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	52.7	61.5	59.7	53.6	62.3	62.9
Medium Trucks:	62.5	54.4	48.0	46.4	54.9	55.2
Heavy Trucks:	67.7	55.7	46.7	47.9	57.8	57.9
Vehicle Noise:	**70.1**	**63.5**	**60.3**	**55.6**	**64.2**	**64.6**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR	
Unmitigated	
60 dBA	338
65 dBA	107
70 dBA	34
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Existing
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Magnolia Ave.		
Road Segment:	SR-91 WB Off-Ramp to SR-91 WB On-Ramp		

PROJECT DATA

Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**
Rt View: **90**	Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA

Road Grade:	0
Average Daily Traffic:	24600
Peak Hour Traffic:	**2460**
Vehicle Speed:	40
Centerline Separation:	80

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	54.8	63.6	61.8	55.7	64.3	65.0
Medium Trucks:	63.7	55.7	49.3	47.7	56.2	56.4
Heavy Trucks:	68.6	56.6	47.6	48.8	58.5	58.7
Vehicle Noise:	**71.0**	**65.1**	**62.2**	**57.3**	**65.9**	**66.3**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR

Unmitigated	
60 dBA	576
65 dBA	182
70 dBA	58
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Existing
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Magnolia Ave.		
Road Segment:	West of Tyler St.		

PROJECT DATA

Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**

Rt View: **90** Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA

Road Grade:	0
Average Daily Traffic:	25900
Peak Hour Traffic:	**2590**
Vehicle Speed:	40
Centerline Separation:	50

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	55.4	64.2	62.4	56.3	65.0	65.6
Medium Trucks:	64.4	56.3	49.9	48.3	56.8	57.1
Heavy Trucks:	69.2	57.3	48.2	49.4	59.1	59.3
Vehicle Noise:	**71.6**	**65.8**	**62.8**	**57.9**	**66.5**	**67.0**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR

Unmitigated	
60 dBA	607
65 dBA	192
70 dBA	61
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Existing
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Martin Luther King Blvd.		
Road Segment:	East of Iowa Ave.		

PROJECT DATA		SITE DATA	
Centerline Dist to Barrier	**0**	Road Grade:	0
Barrier (0=wall, 1= berm):	**0**	Average Daily Traffic:	23300
Receiver Barrier Dist:	**0**	Peak Hour Traffic:	**2330**
Centerline Dist. To Observer:	**100**	Vehicle Speed:	35
Barrier Near Lane CL Dist:	**0**	Centerline Separation:	46
Barrier Far lane CL Dist:	**0**	**NOISE INPUTS**	
Pad Elevation:	**0.5**	Site conditions **HARD SITE**	
Road Elevation:	**0**	**FLEET MIX**	
Observer Height (above grade):	**0**		
Barrier Height:	**0**		
Rt View: **90**	Lft View: **-90**		

NOISE SOURCE ELEVATIONS (Feet)	
Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	53.3	62.1	60.3	54.2	62.9	63.5
Medium Trucks:	63.1	55.0	48.6	47.0	55.5	55.8
Heavy Trucks:	68.3	56.3	47.3	48.5	58.4	58.5
Vehicle Noise:	**70.7**	**64.1**	**60.9**	**56.2**	**64.8**	**65.2**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR	
Unmitigated	
60 dBA	402
65 dBA	127
70 dBA	40
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Existing
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Martin Luther King Blvd.		
Road Segment:	East of Kansas Ave.		

PROJECT DATA

Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**

Rt View: **90** Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA

Road Grade:	0
Average Daily Traffic:	23700
Peak Hour Traffic:	**2370**
Vehicle Speed:	35
Centerline Separation:	46

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	53.4	62.2	60.4	54.3	63.0	63.6
Medium Trucks:	63.1	55.1	48.7	47.1	55.6	55.8
Heavy Trucks:	68.3	56.4	47.4	48.6	58.5	58.6
Vehicle Noise:	**70.8**	**64.1**	**61.0**	**56.3**	**64.8**	**65.3**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR

Unmitigated	
60 dBA	409
65 dBA	129
70 dBA	41
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Existing
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Pierce St.		
Road Segment:	West of La Sierra Ave.		

PROJECT DATA

Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**

Rt View: **90** Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA

Road Grade:	0
Average Daily Traffic:	18800
Peak Hour Traffic:	**1880**
Vehicle Speed:	40
Centerline Separation:	45

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	54.1	62.9	61.1	55.0	63.6	64.3
Medium Trucks:	63.0	55.0	48.6	47.0	55.5	55.7
Heavy Trucks:	67.9	56.0	46.9	48.1	57.8	58.0
Vehicle Noise:	**70.3**	**64.4**	**61.5**	**56.6**	**65.2**	**65.6**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR

Unmitigated	
60 dBA	440
65 dBA	139
70 dBA	44
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Existing
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Riverwalk Pkwy.		
Road Segment:	Sierra Vista Ave. to Raley Dr.		

PROJECT DATA

Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**

Rt View: **90** Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA

Road Grade:	0
Average Daily Traffic:	26900
Peak Hour Traffic:	**2690**
Vehicle Speed:	40
Centerline Separation:	45

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	55.6	64.4	62.6	56.6	65.2	65.8
Medium Trucks:	64.6	56.5	50.1	48.6	57.1	57.3
Heavy Trucks:	69.4	57.5	48.5	49.7	59.4	59.5
Vehicle Noise:	**71.8**	**66.0**	**63.1**	**58.1**	**66.7**	**67.2**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR

Unmitigated	
60 dBA	631
65 dBA	199
70 dBA	63
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Existing
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Trautwein Rd.		
Road Segment:	South of Alessandro Blvd.		

PROJECT DATA

Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**

Rt View: **90** Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA

Road Grade:	0
Average Daily Traffic:	31200
Peak Hour Traffic:	**3120**
Vehicle Speed:	50
Centerline Separation:	60

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	58.9	67.6	65.9	59.8	68.4	69.0
Medium Trucks:	66.5	58.5	52.1	50.5	59.0	59.2
Heavy Trucks:	70.8	58.8	49.8	51.0	60.4	60.5
Vehicle Noise:	**73.1**	**68.7**	**66.2**	**60.9**	**69.5**	**70.0**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR

Unmitigated	
60 dBA	1259
65 dBA	398
70 dBA	126
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Existing
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Tyler St.		
Road Segment:	North of Magnolia Ave.		

PROJECT DATA

Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**
Rt View: **90**	Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA

Road Grade:	0
Average Daily Traffic:	25300
Peak Hour Traffic:	**2530**
Vehicle Speed:	40
Centerline Separation:	60

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	55.2	63.9	62.2	56.1	64.7	65.3
Medium Trucks:	64.1	56.1	49.7	48.1	56.6	56.8
Heavy Trucks:	69.0	57.0	48.0	49.2	58.9	59.0
Vehicle Noise:	**71.3**	**65.5**	**62.6**	**57.7**	**66.2**	**66.7**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR

Unmitigated	
60 dBA	593
65 dBA	188
70 dBA	59
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Existing
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Tyler St.		
Road Segment:	North of SR-91		

PROJECT DATA

Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**

Rt View: **90** Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA

Road Grade:	0
Average Daily Traffic:	37000
Peak Hour Traffic:	**3700**
Vehicle Speed:	35
Centerline Separation:	60

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	55.1	63.9	62.1	56.1	64.7	65.3
Medium Trucks:	64.9	56.8	50.4	48.8	57.3	57.6
Heavy Trucks:	70.1	58.1	49.1	50.3	60.2	60.3
Vehicle Noise:	**72.5**	**65.9**	**62.7**	**58.0**	**66.6**	**67.0**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR

Unmitigated	
60 dBA	638
65 dBA	202
70 dBA	64
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Existing
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Van Buren Blvd		
Road Segment:	North of SR-91		

PROJECT DATA		SITE DATA	
Centerline Dist to Barrier	**0**	Road Grade:	0
Barrier (0=wall, 1= berm):	**0**	Average Daily Traffic:	36900
Receiver Barrier Dist:	**0**	Peak Hour Traffic:	**3690**
Centerline Dist. To Observer:	**100**	Vehicle Speed:	40
Barrier Near Lane CL Dist:	**0**	Centerline Separation:	60
Barrier Far lane CL Dist:	**0**	**NOISE INPUTS**	
Pad Elevation:	**0.5**	Site conditions **HARD SITE**	
Road Elevation:	**0**	**FLEET MIX**	
Observer Height (above grade):	**0**		
Barrier Height:	**0**		
Rt View: **90**	Lft View: **-90**		

NOISE SOURCE ELEVATIONS (Feet)	
Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	56.8	65.6	63.8	57.7	66.4	67.0
Medium Trucks:	65.8	57.7	51.3	49.7	58.2	58.5
Heavy Trucks:	70.6	58.7	49.6	50.8	60.5	60.7
Vehicle Noise:	**73.0**	**67.2**	**64.2**	**59.3**	**67.9**	**68.4**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR	
Unmitigated	
60 dBA	865
65 dBA	274
70 dBA	87
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Existing
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Van Buren Blvd		
Road Segment:	South of Cleveland Ave.		

PROJECT DATA

Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**

Rt View: **90** Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA

Road Grade:	0
Average Daily Traffic:	38100
Peak Hour Traffic:	**3810**
Vehicle Speed:	55
Centerline Separation:	45

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	61.1	69.9	68.1	62.0	70.7	71.3
Medium Trucks:	68.3	60.2	53.8	52.2	60.7	61.0
Heavy Trucks:	72.2	60.3	51.2	52.5	61.7	61.8
Vehicle Noise:	**74.5**	**70.9**	**68.4**	**63.0**	**71.6**	**72.1**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR

Unmitigated	
60 dBA	1958
65 dBA	619
70 dBA	196
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Existing
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Van Buren Blvd		
Road Segment:	West of Washington St.		

PROJECT DATA

Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**

Rt View: **90** Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA

Road Grade:	0
Average Daily Traffic:	32100
Peak Hour Traffic:	**3210**
Vehicle Speed:	55
Centerline Separation:	40

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	60.5	69.3	67.5	61.4	70.0	70.6
Medium Trucks:	67.6	59.5	53.1	51.6	60.1	60.3
Heavy Trucks:	71.6	59.6	50.6	51.8	61.0	61.2
Vehicle Noise:	**73.9**	**70.2**	**67.7**	**62.3**	**70.9**	**71.4**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR

Unmitigated	
60 dBA	1649
65 dBA	521
70 dBA	165
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Existing
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Van Buren Blvd		
Road Segment:	West of Wood Rd.		

PROJECT DATA

Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**

Rt View: **90** Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA

Road Grade:	0
Average Daily Traffic:	39200
Peak Hour Traffic:	**3920**
Vehicle Speed:	55
Centerline Separation:	40

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	61.3	70.1	68.3	62.2	70.9	71.5
Medium Trucks:	68.5	60.4	54.0	52.4	60.9	61.2
Heavy Trucks:	72.4	60.5	51.4	52.7	61.9	62.0
Vehicle Noise:	**74.7**	**71.1**	**68.6**	**63.2**	**71.8**	**72.3**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR

Unmitigated	
60 dBA	2014
65 dBA	637
70 dBA	201
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Existing
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Van Buren Blvd		
Road Segment:	North of Arlington Ave.		

PROJECT DATA		SITE DATA	
Centerline Dist to Barrier	**0**	Road Grade:	0
Barrier (0=wall, 1= berm):	**0**	Average Daily Traffic:	48700
Receiver Barrier Dist:	**0**	Peak Hour Traffic:	**4870**
Centerline Dist. To Observer:	**100**	Vehicle Speed:	45
Barrier Near Lane CL Dist:	**0**	Centerline Separation:	65
Barrier Far lane CL Dist:	**0**	**NOISE INPUTS**	
Pad Elevation:	**0.5**	Site conditions **HARD SITE**	
Road Elevation:	**0**	**FLEET MIX**	
Observer Height (above grade):	**0**		
Barrier Height:	**0**		
Rt View: **90**	Lft View: **-90**		

NOISE SOURCE ELEVATIONS (Feet)	
Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	59.4	68.2	66.4	60.3	69.0	69.6
Medium Trucks:	67.7	59.6	53.2	51.7	60.2	60.4
Heavy Trucks:	72.2	60.3	51.2	52.4	62.0	62.1
Vehicle Noise:	**74.5**	**69.5**	**66.8**	**61.6**	**70.2**	**70.7**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR	
Unmitigated	
60 dBA	1513
65 dBA	478
70 dBA	151
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Existing
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Van Buren Blvd		
Road Segment:	North of Colorado Ave.		

PROJECT DATA		SITE DATA	
Centerline Dist to Barrier	**0**	Road Grade:	0
Barrier (0=wall, 1= berm):	**0**	Average Daily Traffic:	35200
Receiver Barrier Dist:	**0**	Peak Hour Traffic:	**3520**
Centerline Dist. To Observer:	**100**	Vehicle Speed:	40
Barrier Near Lane CL Dist:	**0**	Centerline Separation:	45
Barrier Far lane CL Dist:	**0**	**NOISE INPUTS**	
Pad Elevation:	**0.5**	Site conditions **HARD SITE**	
Road Elevation:	**0**	**FLEET MIX**	
Observer Height (above grade):	**0**		
Barrier Height:	**0**		
Rt View: **90**	Lft View: **-90**		

NOISE SOURCE ELEVATIONS (Feet)	
Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	56.8	65.6	63.8	57.7	66.4	67.0
Medium Trucks:	65.8	57.7	51.3	49.7	58.2	58.5
Heavy Trucks:	70.6	58.7	49.6	50.8	60.6	60.7
Vehicle Noise:	**73.0**	**67.2**	**64.3**	**59.3**	**67.9**	**68.4**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR	
Unmitigated	
60 dBA	825
65 dBA	261
70 dBA	83
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Existing
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Van Buren Blvd		
Road Segment:	North of Colorado Ave.		

PROJECT DATA

Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**
Rt View: **90**	Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA

Road Grade:	0
Average Daily Traffic:	62200
Peak Hour Traffic:	**6220**
Vehicle Speed:	55
Centerline Separation:	75

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	62.9	71.6	69.9	63.8	72.4	73.0
Medium Trucks:	70.0	61.9	55.5	54.0	62.5	62.7
Heavy Trucks:	73.9	62.0	53.0	54.2	63.4	63.6
Vehicle Noise:	**76.3**	**72.6**	**70.1**	**64.7**	**73.3**	**73.8**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR

Unmitigated	
60 dBA	3196
65 dBA	1011
70 dBA	320
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Existing
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Victoria Ave.		
Road Segment:	West of Van Buren Blvd.		

PROJECT DATA

Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**

Rt View: **90** Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA

Road Grade:	0
Average Daily Traffic:	7000
Peak Hour Traffic:	**700**
Vehicle Speed:	40
Centerline Separation:	55

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	49.7	58.4	56.6	50.6	59.2	59.8
Medium Trucks:	58.6	50.5	44.2	42.6	51.1	51.3
Heavy Trucks:	63.5	51.5	42.5	43.7	53.4	53.5
Vehicle Noise:	**65.8**	**60.0**	**57.1**	**52.1**	**60.7**	**61.2**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR

Unmitigated	
60 dBA	164
65 dBA	52
70 dBA	16
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Existing Plus Project
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Alessandro Blvd		
Road Segment:	East of Mission Grove Pkwy		

PROJECT DATA

Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**
Rt View: **90**	Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA

Road Grade:	0
Average Daily Traffic:	44400
Peak Hour Traffic:	**4440**
Vehicle Speed:	50
Centerline Separation:	65

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	60.3	69.1	67.3	61.2	69.9	70.5
Medium Trucks:	68.0	59.9	53.6	52.0	60.5	60.7
Heavy Trucks:	72.2	60.3	51.2	52.5	61.9	62.0
Vehicle Noise:	**74.5**	**70.2**	**67.6**	**62.3**	**70.9**	**71.5**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR

Unmitigated	
60 dBA	1794
65 dBA	567
70 dBA	179
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Existing Plus Project
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Alessandro Blvd		
Road Segment:	North of Via Vista		

PROJECT DATA

Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**
Rt View: **90**	Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA

Road Grade:	0
Average Daily Traffic:	52100
Peak Hour Traffic:	**5210**
Vehicle Speed:	50
Centerline Separation:	50

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	61.2	70.0	68.2	62.1	70.8	71.4
Medium Trucks:	68.9	60.8	54.5	52.9	61.4	61.6
Heavy Trucks:	73.1	61.2	52.1	53.4	62.8	62.9
Vehicle Noise:	**75.5**	**71.1**	**68.5**	**63.2**	**71.8**	**72.4**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR

Unmitigated	
60 dBA	2104
65 dBA	665
70 dBA	210
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Existing Plus Project
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Alessandro Blvd		
Road Segment:	West of Sycamore Canyon		

PROJECT DATA

Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**

Rt View: **90** Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA

Road Grade:	0
Average Daily Traffic:	44400
Peak Hour Traffic:	**4440**
Vehicle Speed:	55
Centerline Separation:	60

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	61.6	70.4	68.6	62.5	71.1	71.8
Medium Trucks:	68.7	60.7	54.3	52.7	61.2	61.4
Heavy Trucks:	72.7	60.7	51.7	52.9	62.2	62.3
Vehicle Noise:	**75.0**	**71.3**	**68.8**	**63.4**	**72.0**	**72.6**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR

Unmitigated	
60 dBA	2281
65 dBA	721
70 dBA	228
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Existing Plus Project
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Arlington Avenue		
Road Segment:	East of Brockton Ave		

PROJECT DATA

Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**
Rt View: **90**	Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA

Road Grade:	0
Average Daily Traffic:	24000
Peak Hour Traffic:	**2400**
Vehicle Speed:	40
Centerline Separation:	32

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	55.4	64.1	62.3	56.3	64.9	65.5
Medium Trucks:	64.3	56.2	49.9	48.3	56.8	57.0
Heavy Trucks:	69.2	57.2	48.2	49.4	59.1	59.2
Vehicle Noise:	**71.5**	**65.7**	**62.8**	**57.8**	**66.4**	**66.9**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR

Unmitigated	
60 dBA	563
65 dBA	178
70 dBA	56
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Existing Plus Project
Analyst:	Ryan Richards	Job #:	158820
Roadway:	California Ave.		
Road Segment:	East of Adams St.		

PROJECT DATA

Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**
Rt View: **90**	Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA

Road Grade:	0
Average Daily Traffic:	16700
Peak Hour Traffic:	**1670**
Vehicle Speed:	40
Centerline Separation:	36

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	53.7	62.5	60.7	54.6	63.3	63.9
Medium Trucks:	62.7	54.6	48.2	46.6	55.1	55.4
Heavy Trucks:	67.5	55.6	46.5	47.7	57.5	57.6
Vehicle Noise:	**69.9**	**64.1**	**61.2**	**56.2**	**64.8**	**65.3**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR

Unmitigated	
60 dBA	392
65 dBA	124
70 dBA	39
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Existing Plus Project
Analyst:	Ryan Richards	Job #:	158820
Roadway:	California Ave.		
Road Segment:	East of Van Buren Blvd.		

PROJECT DATA		SITE DATA	
Centerline Dist to Barrier	**0**	Road Grade:	0
Barrier (0=wall, 1= berm):	**0**	Average Daily Traffic:	18000
Receiver Barrier Dist:	**0**	Peak Hour Traffic:	**1800**
Centerline Dist. To Observer:	**100**	Vehicle Speed:	40
Barrier Near Lane CL Dist:	**0**	Centerline Separation:	36
Barrier Far lane CL Dist:	**0**		
Pad Elevation:	**0.5**		
Road Elevation:	**0**		
Observer Height (above grade):	**0**		
Barrier Height:	**0**		
Rt View: **90**	Lft View: **-90**		

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	54.0	62.8	61.0	54.9	63.6	64.2
Medium Trucks:	63.0	54.9	48.5	47.0	55.5	55.7
Heavy Trucks:	67.8	55.9	46.8	48.1	57.8	57.9
Vehicle Noise:	**70.2**	**64.4**	**61.5**	**56.5**	**65.1**	**65.6**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR	
Unmitigated	
60 dBA	422
65 dBA	133
70 dBA	42
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Existing Plus Project
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Chicago Ave		
Road Segment:	North of Spruce St.		

PROJECT DATA

Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**

Rt View: **90** Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA

Road Grade:	0
Average Daily Traffic:	14600
Peak Hour Traffic:	**1460**
Vehicle Speed:	45
Centerline Separation:	42

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	54.5	63.3	61.5	55.4	64.1	64.7
Medium Trucks:	62.8	54.7	48.3	46.8	55.3	55.5
Heavy Trucks:	67.3	55.4	46.3	47.5	57.1	57.2
Vehicle Noise:	**69.6**	**64.6**	**61.9**	**56.7**	**65.3**	**65.8**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR

Unmitigated	
60 dBA	454
65 dBA	144
70 dBA	45
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Existing Plus Project
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Indiana Ave.		
Road Segment:	East of Harrison St.		

PROJECT DATA		SITE DATA	
Centerline Dist to Barrier	**0**	Road Grade:	0
Barrier (0=wall, 1= berm):	**0**	Average Daily Traffic:	14000
Receiver Barrier Dist:	**0**	Peak Hour Traffic:	**1400**
Centerline Dist. To Observer:	**100**	Vehicle Speed:	40
Barrier Near Lane CL Dist:	**0**	Centerline Separation:	36
Barrier Far lane CL Dist:	**0**		
Pad Elevation:	**0.5**		
Road Elevation:	**0**		
Observer Height (above grade):	**0**		
Barrier Height:	**0**		
Rt View: **90**	Lft View: **-90**		

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	52.9	61.7	59.9	53.9	62.5	63.1
Medium Trucks:	61.9	53.8	47.5	45.9	54.4	54.6
Heavy Trucks:	66.7	54.8	45.8	47.0	56.7	56.8
Vehicle Noise:	**69.1**	**63.3**	**60.4**	**55.4**	**64.0**	**64.5**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR	
Unmitigated	
60 dBA	328
65 dBA	104
70 dBA	33
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Existing Plus Project
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Jackson St.		
Road Segment:	North of Indiana Ave.		

PROJECT DATA		SITE DATA	
Centerline Dist to Barrier	**0**	Road Grade:	0
Barrier (0=wall, 1= berm):	**0**	Average Daily Traffic:	12600
Receiver Barrier Dist:	**0**	Peak Hour Traffic:	**1260**
Centerline Dist. To Observer:	**100**	Vehicle Speed:	40
Barrier Near Lane CL Dist:	**0**	Centerline Separation:	42
Barrier Far lane CL Dist:	**0**	**NOISE INPUTS**	
Pad Elevation:	**0.5**	Site conditions **HARD SITE**	
Road Elevation:	**0**	**FLEET MIX**	
Observer Height (above grade):	**0**		
Barrier Height:	**0**		
Rt View: **90**	Lft View: **-90**		

NOISE SOURCE ELEVATIONS (Feet)	
Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	52.4	61.2	59.4	53.3	62.0	62.6
Medium Trucks:	61.3	53.3	46.9	45.3	53.8	54.0
Heavy Trucks:	66.2	54.3	45.2	46.4	56.1	56.3
Vehicle Noise:	**68.6**	**62.8**	**59.8**	**54.9**	**63.5**	**63.9**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR	
Unmitigated	
60 dBA	295
65 dBA	93
70 dBA	30
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Existing Plus Project
Analyst:	Ryan Richards	Job #:	158820
Roadway:	La Sierra Ave.		
Road Segment:	Magnolia Ave. to Collett Ave.		

PROJECT DATA

Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**
Rt View: **90**	Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA

Road Grade:	0
Average Daily Traffic:	26700
Peak Hour Traffic:	**2670**
Vehicle Speed:	40
Centerline Separation:	50

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	55.5	64.3	62.5	56.4	65.1	65.7
Medium Trucks:	64.5	56.4	50.0	48.5	57.0	57.2
Heavy Trucks:	69.3	57.4	48.3	49.6	59.3	59.4
Vehicle Noise:	**71.7**	**65.9**	**63.0**	**58.0**	**66.6**	**67.1**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR

Unmitigated	
60 dBA	625
65 dBA	198
70 dBA	63
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Existing Plus Project
Analyst:	Ryan Richards	Job #:	158820
Roadway:	La Sierra Ave.		
Road Segment:	North of Cypress Ave.		

PROJECT DATA

Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**

Rt View: **90** Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA

Road Grade:	0
Average Daily Traffic:	16000
Peak Hour Traffic:	**1600**
Vehicle Speed:	45
Centerline Separation:	50

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	54.8	63.6	61.8	55.7	64.3	65.0
Medium Trucks:	63.1	55.0	48.6	47.0	55.5	55.8
Heavy Trucks:	67.6	55.6	46.6	47.8	57.4	57.5
Vehicle Noise:	**69.9**	**64.9**	**62.1**	**57.0**	**65.6**	**66.1**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR

Unmitigated	
60 dBA	498
65 dBA	157
70 dBA	50
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Existing Plus Project
Analyst:	Ryan Richards	Job #:	158820
Roadway:	La Sierra Ave.		
Road Segment:	North of Pierce St.		

PROJECT DATA

Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**
Rt View: **90**	Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA

Road Grade:	0
Average Daily Traffic:	27600
Peak Hour Traffic:	**2760**
Vehicle Speed:	40
Centerline Separation:	50

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	55.7	64.5	62.7	56.6	65.2	65.8
Medium Trucks:	64.6	56.6	50.2	48.6	57.1	57.3
Heavy Trucks:	69.5	57.5	48.5	49.7	59.4	59.5
Vehicle Noise:	**71.9**	**66.0**	**63.1**	**58.2**	**66.8**	**67.2**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR

Unmitigated	
60 dBA	647
65 dBA	205
70 dBA	65
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Existing Plus Project
Analyst:	Ryan Richards	Job #:	158820
Roadway:	La Sierra Ave.		
Road Segment:	North of SR-91		

PROJECT DATA

Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**

Rt View: **90** Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA

Road Grade:	0
Average Daily Traffic:	39900
Peak Hour Traffic:	**3990**
Vehicle Speed:	45
Centerline Separation:	50

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	58.8	67.5	65.7	59.7	68.3	68.9
Medium Trucks:	67.0	59.0	52.6	51.0	59.5	59.7
Heavy Trucks:	71.6	59.6	50.6	51.8	61.3	61.5
Vehicle Noise:	**73.9**	**68.8**	**66.1**	**61.0**	**69.6**	**70.1**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR

Unmitigated	
60 dBA	1242
65 dBA	393
70 dBA	124
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Existing Plus Project
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Lincoln Ave		
Road Segment:	West of Monroe St.		

PROJECT DATA		SITE DATA	
Centerline Dist to Barrier	**0**	Road Grade:	0
Barrier (0=wall, 1= berm):	**0**	Average Daily Traffic:	9900
Receiver Barrier Dist:	**0**	Peak Hour Traffic:	**990**
Centerline Dist. To Observer:	**100**	Vehicle Speed:	45
Barrier Near Lane CL Dist:	**0**	Centerline Separation:	36
Barrier Far lane CL Dist:	**0**	**NOISE INPUTS**	
Pad Elevation:	**0.5**	Site conditions **HARD SITE**	
Road Elevation:	**0**	**FLEET MIX**	
Observer Height (above grade):	**0**		
Barrier Height:	**0**		
Rt View: **90**	Lft View: **-90**		

NOISE SOURCE ELEVATIONS (Feet)	
Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	52.9	61.7	59.9	53.8	62.5	63.1
Medium Trucks:	61.2	53.1	46.7	45.2	53.7	53.9
Heavy Trucks:	65.7	53.8	44.7	45.9	55.5	55.6
Vehicle Noise:	**68.1**	**63.0**	**60.3**	**55.1**	**63.7**	**64.2**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR	
Unmitigated	
60 dBA	307
65 dBA	97
70 dBA	31
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Existing Plus Project
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Magnolia Ave.		
Road Segment:	East of Harrison St.		

PROJECT DATA		SITE DATA	
Centerline Dist to Barrier	**0**	Road Grade:	0
Barrier (0=wall, 1= berm):	**0**	Average Daily Traffic:	33400
Receiver Barrier Dist:	**0**	Peak Hour Traffic:	**3340**
Centerline Dist. To Observer:	**100**	Vehicle Speed:	40
Barrier Near Lane CL Dist:	**0**	Centerline Separation:	50
Barrier Far lane CL Dist:	**0**		
Pad Elevation:	**0.5**		
Road Elevation:	**0**		
Observer Height (above grade):	**0**		
Barrier Height:	**0**		
Rt View: **90**	Lft View: **-90**		

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	56.5	65.3	63.5	57.4	66.1	66.7
Medium Trucks:	65.5	57.4	51.0	49.4	57.9	58.2
Heavy Trucks:	70.3	58.4	49.3	50.5	60.3	60.4
Vehicle Noise:	**72.7**	**66.9**	**64.0**	**59.0**	**67.6**	**68.1**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR	
Unmitigated	
60 dBA	784
65 dBA	248
70 dBA	78
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Existing Plus Project
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Magnolia Ave.		
Road Segment:	East of Jackson St.		

PROJECT DATA		SITE DATA	
Centerline Dist to Barrier	**0**	Road Grade:	0
Barrier (0=wall, 1= berm):	**0**	Average Daily Traffic:	24300
Receiver Barrier Dist:	**0**	Peak Hour Traffic:	**2430**
Centerline Dist. To Observer:	**100**	Vehicle Speed:	40
Barrier Near Lane CL Dist:	**0**	Centerline Separation:	50
Barrier Far lane CL Dist:	**0**	**NOISE INPUTS**	
Pad Elevation:	**0.5**	Site conditions **HARD SITE**	
Road Elevation:	**0**	**FLEET MIX**	
Observer Height (above grade):	**0**		
Barrier Height:	**0**		
Rt View: **90**	Lft View: **-90**		

NOISE SOURCE ELEVATIONS (Feet)	
Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	55.1	63.9	62.1	56.0	64.7	65.3
Medium Trucks:	64.1	56.0	49.6	48.1	56.5	56.8
Heavy Trucks:	68.9	57.0	47.9	49.2	58.9	59.0
Vehicle Noise:	**71.3**	**65.5**	**62.6**	**57.6**	**66.2**	**66.7**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR	
Unmitigated	
60 dBA	569
65 dBA	180
70 dBA	57
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Existing Plus Project
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Magnolia Ave.		
Road Segment:	South of Jurupa Ave.		

PROJECT DATA	
Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**
Rt View: **90**	Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)	
Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA	
Road Grade:	0
Average Daily Traffic:	21200
Peak Hour Traffic:	**2120**
Vehicle Speed:	35
Centerline Separation:	36

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	53.1	61.9	60.1	54.0	62.6	63.2
Medium Trucks:	62.8	54.7	48.3	46.8	55.3	55.5
Heavy Trucks:	68.0	56.1	47.0	48.2	58.1	58.3
Vehicle Noise:	**70.5**	**63.8**	**60.6**	**55.9**	**64.5**	**65.0**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR	
Unmitigated	
60 dBA	365
65 dBA	116
70 dBA	37
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Existing Plus Project
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Magnolia Ave.		
Road Segment:	SR-91 WB Off-Ramp to SR-91 WB On-Ramp		

PROJECT DATA		SITE DATA	
Centerline Dist to Barrier	**0**	Road Grade:	0
Barrier (0=wall, 1= berm):	**0**	Average Daily Traffic:	28800
Receiver Barrier Dist:	**0**	Peak Hour Traffic:	**2880**
Centerline Dist. To Observer:	**100**	Vehicle Speed:	40
Barrier Near Lane CL Dist:	**0**	Centerline Separation:	80
Barrier Far lane CL Dist:	**0**		
Pad Elevation:	**0.5**		
Road Elevation:	**0**		
Observer Height (above grade):	**0**		
Barrier Height:	**0**		
Rt View: **90**	Lft View: **-90**		

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	55.5	64.3	62.5	56.4	65.0	65.6
Medium Trucks:	64.4	56.4	50.0	48.4	56.9	57.1
Heavy Trucks:	69.3	57.3	48.3	49.5	59.2	59.3
Vehicle Noise:	**71.6**	**65.8**	**62.9**	**58.0**	**66.5**	**67.0**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR	
Unmitigated	
60 dBA	676
65 dBA	214
70 dBA	68
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Existing Plus Project
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Magnolia Ave.		
Road Segment:	West of Tyler St.		

PROJECT DATA

Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**
Rt View: **90**	Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA

Road Grade:	0
Average Daily Traffic:	29300
Peak Hour Traffic:	**2930**
Vehicle Speed:	40
Centerline Separation:	50

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	55.9	64.7	62.9	56.9	65.5	66.1
Medium Trucks:	64.9	56.8	50.4	48.9	57.4	57.6
Heavy Trucks:	69.7	57.8	48.7	50.0	59.7	59.8
Vehicle Noise:	**72.1**	**66.3**	**63.4**	**58.4**	**67.0**	**67.5**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR

Unmitigated	
60 dBA	687
65 dBA	217
70 dBA	69
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Existing Plus Project
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Martin Luther King Blvd.		
Road Segment:	East of Iowa Ave.		

PROJECT DATA	
Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**
Rt View: **90**	Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)	
Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA	
Road Grade:	0
Average Daily Traffic:	24700
Peak Hour Traffic:	**2470**
Vehicle Speed:	35
Centerline Separation:	46

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	53.6	62.4	60.6	54.5	63.1	63.8
Medium Trucks:	63.3	55.2	48.9	47.3	55.8	56.0
Heavy Trucks:	68.5	56.6	47.5	48.8	58.7	58.8
Vehicle Noise:	**71.0**	**64.3**	**61.1**	**56.5**	**65.0**	**65.5**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR	
Unmitigated	
60 dBA	426
65 dBA	135
70 dBA	43
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Existing Plus Project
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Martin Luther King Blvd.		
Road Segment:	East of Kansas Ave.		

PROJECT DATA

Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**

Rt View: **90** Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA

Road Grade:	0
Average Daily Traffic:	24800
Peak Hour Traffic:	**2480**
Vehicle Speed:	35
Centerline Separation:	46

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	53.6	62.4	60.6	54.5	63.2	63.8
Medium Trucks:	63.3	55.3	48.9	47.3	55.8	56.0
Heavy Trucks:	68.5	56.6	47.5	48.8	58.7	58.8
Vehicle Noise:	**71.0**	**64.3**	**61.2**	**56.5**	**65.0**	**65.5**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR

Unmitigated	
60 dBA	428
65 dBA	135
70 dBA	43
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Existing Plus Project
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Pierce St.		
Road Segment:	West of La Sierra Ave.		

PROJECT DATA

Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**
Rt View: **90**	Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA

Road Grade:	0
Average Daily Traffic:	20100
Peak Hour Traffic:	**2010**
Vehicle Speed:	40
Centerline Separation:	45

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	54.4	63.2	61.4	55.3	63.9	64.5
Medium Trucks:	63.3	55.3	48.9	47.3	55.8	56.0
Heavy Trucks:	68.2	56.2	47.2	48.4	58.1	58.2
Vehicle Noise:	**70.6**	**64.7**	**61.8**	**56.9**	**65.4**	**65.9**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR

Unmitigated	
60 dBA	471
65 dBA	149
70 dBA	47
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Existing Plus Project
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Riverwalk Pkwy.		
Road Segment:	Sierra Vista Ave. to Raley Dr.		

PROJECT DATA

Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**
Rt View: **90**	Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA

Road Grade:	0
Average Daily Traffic:	28000
Peak Hour Traffic:	**2800**
Vehicle Speed:	40
Centerline Separation:	45

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	55.8	64.6	62.8	56.7	65.4	66.0
Medium Trucks:	64.8	56.7	50.3	48.7	57.2	57.5
Heavy Trucks:	69.6	57.7	48.6	49.8	59.6	59.7
Vehicle Noise:	**72.0**	**66.2**	**63.3**	**58.3**	**66.9**	**67.4**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR

Unmitigated	
60 dBA	656
65 dBA	207
70 dBA	66
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Existing Plus Project
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Trautwein Rd.		
Road Segment:	South of Alessandro Blvd.		

PROJECT DATA

Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**
Rt View: **90**	Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA

Road Grade:	0
Average Daily Traffic:	32800
Peak Hour Traffic:	**3280**
Vehicle Speed:	50
Centerline Separation:	60

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	59.1	67.9	66.1	60.0	68.6	69.2
Medium Trucks:	66.8	58.7	52.3	50.7	59.2	59.5
Heavy Trucks:	71.0	59.0	50.0	51.2	60.6	60.7
Vehicle Noise:	**73.3**	**69.0**	**66.4**	**61.1**	**69.7**	**70.2**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR

Unmitigated	
60 dBA	1325
65 dBA	419
70 dBA	132
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Existing Plus Project
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Tyler St.		
Road Segment:	North of Magnolia Ave.		

PROJECT DATA

Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**
Rt View: **90**	Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA

Road Grade:	0
Average Daily Traffic:	26600
Peak Hour Traffic:	**2660**
Vehicle Speed:	40
Centerline Separation:	60

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	55.4	64.2	62.4	56.3	64.9	65.5
Medium Trucks:	64.3	56.3	49.9	48.3	56.8	57.0
Heavy Trucks:	69.2	57.2	48.2	49.4	59.1	59.2
Vehicle Noise:	**71.6**	**65.7**	**62.8**	**57.9**	**66.5**	**66.9**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR

Unmitigated	
60 dBA	624
65 dBA	197
70 dBA	62
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Existing Plus Project
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Tyler St.		
Road Segment:	North of SR-91		

PROJECT DATA		SITE DATA	
Centerline Dist to Barrier	**0**	Road Grade:	0
Barrier (0=wall, 1= berm):	**0**	Average Daily Traffic:	46500
Receiver Barrier Dist:	**0**	Peak Hour Traffic:	**4650**
Centerline Dist. To Observer:	**100**	Vehicle Speed:	35
Barrier Near Lane CL Dist:	**0**	Centerline Separation:	60
Barrier Far lane CL Dist:	**0**		
Pad Elevation:	**0.5**		
Road Elevation:	**0**		
Observer Height (above grade):	**0**		
Barrier Height:	**0**		
Rt View: **90**	Lft View: **-90**		

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	56.1	64.9	63.1	57.0	65.7	66.3
Medium Trucks:	65.9	57.8	51.4	49.8	58.3	58.6
Heavy Trucks:	71.1	59.1	50.1	51.3	61.2	61.3
Vehicle Noise:	**73.5**	**66.9**	**63.7**	**59.0**	**67.6**	**68.0**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR	
Unmitigated	
60 dBA	802
65 dBA	254
70 dBA	80
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Existing Plus Project
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Van Buren Blvd		
Road Segment:	North of SR-91		

PROJECT DATA		SITE DATA	
Centerline Dist to Barrier	0	Road Grade:	0
Barrier (0=wall, 1= berm):	0	Average Daily Traffic:	45800
Receiver Barrier Dist:	0	Peak Hour Traffic:	4580
Centerline Dist. To Observer:	100	Vehicle Speed:	40
Barrier Near Lane CL Dist:	0	Centerline Separation:	60
Barrier Far lane CL Dist:	0	**NOISE INPUTS**	
Pad Elevation:	0.5	Site conditions **HARD SITE**	
Road Elevation:	0	**FLEET MIX**	
Observer Height (above grade):	0		
Barrier Height:	0		
Rt View: 90	Lft View: -90		

NOISE SOURCE ELEVATIONS (Feet)	
Autos:	0
Medium Trucks:	2.3
Heavy Trucks:	8

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	57.7	66.5	64.7	58.7	67.3	67.9
Medium Trucks:	66.7	58.6	52.2	50.7	59.2	59.4
Heavy Trucks:	71.5	59.6	50.5	51.8	61.5	61.6
Vehicle Noise:	**73.9**	**68.1**	**65.2**	**60.2**	**68.8**	**69.3**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR	
Unmitigated	
60 dBA	1074
65 dBA	340
70 dBA	107
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Existing Plus Project
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Van Buren Blvd		
Road Segment:	South of Cleveland Ave.		

PROJECT DATA

Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**

Rt View: **90** Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA

Road Grade:	0
Average Daily Traffic:	41300
Peak Hour Traffic:	**4130**
Vehicle Speed:	55
Centerline Separation:	45

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	61.5	70.3	68.5	62.4	71.0	71.7
Medium Trucks:	68.6	60.5	54.2	52.6	61.1	61.3
Heavy Trucks:	72.6	60.6	51.6	52.8	62.1	62.2
Vehicle Noise:	**74.9**	**71.2**	**68.7**	**63.3**	**71.9**	**72.5**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR

Unmitigated	
60 dBA	2122
65 dBA	671
70 dBA	212
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Existing Plus Project
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Van Buren Blvd		
Road Segment:	West of Washington St.		

PROJECT DATA		SITE DATA	
Centerline Dist to Barrier	0	Road Grade:	0
Barrier (0=wall, 1= berm):	0	Average Daily Traffic:	33800
Receiver Barrier Dist:	0	Peak Hour Traffic:	3380
Centerline Dist. To Observer:	100	Vehicle Speed:	55
Barrier Near Lane CL Dist:	0	Centerline Separation:	40
Barrier Far lane CL Dist:	0	**NOISE INPUTS**	
Pad Elevation:	0.5	Site conditions **HARD SITE**	
Road Elevation:	0	**FLEET MIX**	
Observer Height (above grade):	0		
Barrier Height:	0		
Rt View: 90	Lft View: -90		

NOISE SOURCE ELEVATIONS (Feet)	
Autos:	0
Medium Trucks:	2.3
Heavy Trucks:	8

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	60.7	69.5	67.7	61.6	70.3	70.9
Medium Trucks:	67.8	59.8	53.4	51.8	60.3	60.5
Heavy Trucks:	71.8	59.8	50.8	52.0	61.3	61.4
Vehicle Noise:	**74.1**	**70.4**	**67.9**	**62.5**	**71.1**	**71.7**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR	
Unmitigated	
60 dBA	1738
65 dBA	550
70 dBA	174
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Existing Plus Project
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Van Buren Blvd		
Road Segment:	West of Wood Rd.		

PROJECT DATA

Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**
Rt View: **90**	Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA

Road Grade:	0
Average Daily Traffic:	41100
Peak Hour Traffic:	**4110**
Vehicle Speed:	55
Centerline Separation:	40

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	61.5	70.3	68.5	62.5	71.1	71.7
Medium Trucks:	68.7	60.6	54.2	52.6	61.1	61.4
Heavy Trucks:	72.6	60.7	51.6	52.9	62.1	62.2
Vehicle Noise:	**74.9**	**71.3**	**68.8**	**63.4**	**72.0**	**72.5**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR

Unmitigated	
60 dBA	2114
65 dBA	668
70 dBA	211
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Existing Plus Project
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Van Buren Blvd		
Road Segment:	North of Arlington Ave.		

PROJECT DATA		SITE DATA	
Centerline Dist to Barrier	**0**	Road Grade:	0
Barrier (0=wall, 1= berm):	**0**	Average Daily Traffic:	52500
Receiver Barrier Dist:	**0**	Peak Hour Traffic:	**5250**
Centerline Dist. To Observer:	**100**	Vehicle Speed:	45
Barrier Near Lane CL Dist:	**0**	Centerline Separation:	65
Barrier Far lane CL Dist:	**0**		
Pad Elevation:	**0.5**		
Road Elevation:	**0**		
Observer Height (above grade):	**0**		
Barrier Height:	**0**		
Rt View: **90**	Lft View: **-90**		

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	59.7	68.5	66.7	60.7	69.3	69.9
Medium Trucks:	68.0	60.0	53.6	52.0	60.5	60.7
Heavy Trucks:	72.5	60.6	51.5	52.8	62.3	62.4
Vehicle Noise:	**74.9**	**69.8**	**67.1**	**62.0**	**70.5**	**71.0**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR	
Unmitigated	
60 dBA	1632
65 dBA	516
70 dBA	163
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Existing Plus Project
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Van Buren Blvd		
Road Segment:	North of Colorado Ave.		

PROJECT DATA

Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**
Rt View: **90**	Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA

Road Grade:	0
Average Daily Traffic:	39800
Peak Hour Traffic:	**3980**
Vehicle Speed:	40
Centerline Separation:	45

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	57.3	66.1	64.3	58.3	66.9	67.5
Medium Trucks:	66.3	58.2	51.8	50.3	58.8	59.0
Heavy Trucks:	71.1	59.2	50.2	51.4	61.1	61.2
Vehicle Noise:	**73.5**	**67.7**	**64.8**	**59.8**	**68.4**	**68.9**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR

Unmitigated	
60 dBA	933
65 dBA	295
70 dBA	93
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Existing Plus Project
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Van Buren Blvd		
Road Segment:	North of Colorado Ave.		

PROJECT DATA	
Centerline Dist to Barrier	0
Barrier (0=wall, 1= berm):	0
Receiver Barrier Dist:	0
Centerline Dist. To Observer:	100
Barrier Near Lane CL Dist:	0
Barrier Far lane CL Dist:	0
Pad Elevation:	0.5
Road Elevation:	0
Observer Height (above grade):	0
Barrier Height:	0
Rt View: 90	Lft View: -90

NOISE SOURCE ELEVATIONS (Feet)	
Autos:	0
Medium Trucks:	2.3
Heavy Trucks:	8

SITE DATA	
Road Grade:	0
Average Daily Traffic:	65200
Peak Hour Traffic:	6520
Vehicle Speed:	55
Centerline Separation:	75

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	63.1	71.8	70.1	64.0	72.6	73.2
Medium Trucks:	70.2	62.1	55.7	54.2	62.7	62.9
Heavy Trucks:	74.2	62.2	53.2	54.4	63.6	63.8
Vehicle Noise:	**76.5**	**72.8**	**70.3**	**64.9**	**73.5**	**74.0**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR	
Unmitigated	
60 dBA	3354
65 dBA	1061
70 dBA	335
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Existing Plus Project
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Victoria Ave.		
Road Segment:	West of Van Buren Blvd.		

PROJECT DATA

Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**

Rt View: **90** Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA

Road Grade:	0
Average Daily Traffic:	9100
Peak Hour Traffic:	**910**
Vehicle Speed:	40
Centerline Separation:	55

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	50.8	59.6	57.8	51.7	60.4	61.0
Medium Trucks:	59.7	51.7	45.3	43.7	52.2	52.4
Heavy Trucks:	64.6	52.7	43.6	44.8	54.5	54.7
Vehicle Noise:	**67.0**	**61.2**	**58.2**	**53.3**	**61.9**	**62.3**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR

Unmitigated	
60 dBA	213
65 dBA	67
70 dBA	21
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Future
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Alessandro Blvd		
Road Segment:	East of Mission Grove Pkwy		

PROJECT DATA

Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**

Rt View: **90** Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA

Road Grade:	0
Average Daily Traffic:	51900
Peak Hour Traffic:	**5190**
Vehicle Speed:	50
Centerline Separation:	65

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	61.0	69.8	68.0	61.9	70.6	71.2
Medium Trucks:	68.7	60.6	54.2	52.7	61.1	61.4
Heavy Trucks:	72.9	61.0	51.9	53.1	62.5	62.7
Vehicle Noise:	**75.2**	**70.9**	**68.3**	**63.0**	**71.6**	**72.1**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR

Unmitigated	
60 dBA	2093
65 dBA	662
70 dBA	209
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Future
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Alessandro Blvd		
Road Segment:	North of Via Vista		

PROJECT DATA

Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**

Rt View: **90** Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA

Road Grade:	0
Average Daily Traffic:	50100
Peak Hour Traffic:	**5010**
Vehicle Speed:	50
Centerline Separation:	50

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	61.1	69.8	68.1	62.0	70.6	71.2
Medium Trucks:	68.7	60.7	54.3	52.7	61.2	61.4
Heavy Trucks:	73.0	61.0	52.0	53.2	62.6	62.7
Vehicle Noise:	**75.3**	**70.9**	**68.4**	**63.1**	**71.7**	**72.2**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR

Unmitigated	
60 dBA	2023
65 dBA	640
70 dBA	202
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Future
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Alessandro Blvd		
Road Segment:	West of Sycamore Canyon		

PROJECT DATA

Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**

Rt View: **90** Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA

Road Grade:	0
Average Daily Traffic:	51800
Peak Hour Traffic:	**5180**
Vehicle Speed:	55
Centerline Separation:	60

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	62.3	71.0	69.3	63.2	71.8	72.4
Medium Trucks:	69.4	61.3	54.9	53.4	61.9	62.1
Heavy Trucks:	73.3	61.4	52.4	53.6	62.8	63.0
Vehicle Noise:	**75.7**	**72.0**	**69.5**	**64.1**	**72.7**	**73.2**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR

Unmitigated	
60 dBA	2661
65 dBA	842
70 dBA	266
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Future
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Arlington Avenue		
Road Segment:	East of Brockton Ave		

PROJECT DATA		SITE DATA	
Centerline Dist to Barrier	**0**	Road Grade:	0
Barrier (0=wall, 1= berm):	**0**	Average Daily Traffic:	25600
Receiver Barrier Dist:	**0**	Peak Hour Traffic:	**2560**
Centerline Dist. To Observer:	**100**	Vehicle Speed:	40
Barrier Near Lane CL Dist:	**0**	Centerline Separation:	32
Barrier Far lane CL Dist:	**0**	**NOISE INPUTS**	
Pad Elevation:	**0.5**	Site conditions **HARD SITE**	
Road Elevation:	**0**	**FLEET MIX**	
Observer Height (above grade):	**0**		
Barrier Height:	**0**		
Rt View: **90**	Lft View: **-90**		

NOISE SOURCE ELEVATIONS (Feet)	
Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	55.6	64.4	62.6	56.5	65.2	65.8
Medium Trucks:	64.6	56.5	50.1	48.6	57.1	57.3
Heavy Trucks:	69.4	57.5	48.4	49.7	59.4	59.5
Vehicle Noise:	**71.8**	**66.0**	**63.1**	**58.1**	**66.7**	**67.2**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR	
Unmitigated	
60 dBA	600
65 dBA	190
70 dBA	60
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Future
Analyst:	Ryan Richards	Job #:	158820
Roadway:	California Ave.		
Road Segment:	East of Adams St.		

PROJECT DATA

Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**

Rt View: **90** Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA

Road Grade:	0
Average Daily Traffic:	15300
Peak Hour Traffic:	**1530**
Vehicle Speed:	40
Centerline Separation:	36

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	53.3	62.1	60.3	54.2	62.9	63.5
Medium Trucks:	62.3	54.2	47.8	46.3	54.8	55.0
Heavy Trucks:	67.1	55.2	46.1	47.4	57.1	57.2
Vehicle Noise:	**69.5**	**63.7**	**60.8**	**55.8**	**64.4**	**64.9**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR

Unmitigated	
60 dBA	359
65 dBA	113
70 dBA	36
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Future
Analyst:	Ryan Richards	Job #:	158820
Roadway:	California Ave.		
Road Segment:	East of Van Buren Blvd.		

PROJECT DATA	
Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**
Rt View: **90**	Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)	
Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA	
Road Grade:	0
Average Daily Traffic:	14700
Peak Hour Traffic:	**1470**
Vehicle Speed:	40
Centerline Separation:	36

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	53.2	61.9	60.2	54.1	62.7	63.3
Medium Trucks:	62.1	54.0	47.7	46.1	54.6	54.8
Heavy Trucks:	67.0	55.0	46.0	47.2	56.9	57.0
Vehicle Noise:	**69.3**	**63.5**	**60.6**	**55.6**	**64.2**	**64.7**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR	
Unmitigated	
60 dBA	344
65 dBA	109
70 dBA	34
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Future
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Chicago Ave		
Road Segment:	North of Spruce St.		

PROJECT DATA

Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**

Rt View: **90** Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA

Road Grade:	0
Average Daily Traffic:	13900
Peak Hour Traffic:	**1390**
Vehicle Speed:	45
Centerline Separation:	42

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	54.3	63.1	61.3	55.2	63.9	64.5
Medium Trucks:	62.6	54.5	48.1	46.6	55.0	55.3
Heavy Trucks:	67.1	55.2	46.1	47.3	56.9	57.0
Vehicle Noise:	**69.4**	**64.4**	**61.7**	**56.5**	**65.1**	**65.6**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR

Unmitigated	
60 dBA	432
65 dBA	137
70 dBA	43
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Future
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Indiana Ave.		
Road Segment:	East of Harrison St.		

PROJECT DATA			
Centerline Dist to Barrier	**0**		
Barrier (0=wall, 1= berm):	**0**		
Receiver Barrier Dist:	**0**		
Centerline Dist. To Observer:	**100**		
Barrier Near Lane CL Dist:	**0**		
Barrier Far lane CL Dist:	**0**		
Pad Elevation:	**0.5**		
Road Elevation:	**0**		
Observer Height (above grade):	**0**		
Barrier Height:	**0**		
Rt View:	**90**	Lft View:	**-90**

NOISE SOURCE ELEVATIONS (Feet)	
Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA	
Road Grade:	0
Average Daily Traffic:	10700
Peak Hour Traffic:	**1070**
Vehicle Speed:	40
Centerline Separation:	36

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	51.8	60.6	58.8	52.7	61.3	61.9
Medium Trucks:	60.7	52.7	46.3	44.7	53.2	53.4
Heavy Trucks:	65.6	53.6	44.6	45.8	55.5	55.6
Vehicle Noise:	**68.0**	**62.1**	**59.2**	**54.3**	**62.8**	**63.3**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR	
Unmitigated	
60 dBA	251
65 dBA	79
70 dBA	25
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Future
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Jackson St.		
Road Segment:	North of Indiana Ave.		

PROJECT DATA		SITE DATA	
Centerline Dist to Barrier	**0**	Road Grade:	0
Barrier (0=wall, 1= berm):	**0**	Average Daily Traffic:	11500
Receiver Barrier Dist:	**0**	Peak Hour Traffic:	**1150**
Centerline Dist. To Observer:	**100**	Vehicle Speed:	40
Barrier Near Lane CL Dist:	**0**	Centerline Separation:	42
Barrier Far lane CL Dist:	**0**		
Pad Elevation:	**0.5**		
Road Elevation:	**0**		
Observer Height (above grade):	**0**		
Barrier Height:	**0**		
Rt View: **90**	Lft View: **-90**		

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	52.0	60.8	59.0	52.9	61.6	62.2
Medium Trucks:	61.0	52.9	46.5	44.9	53.4	53.7
Heavy Trucks:	65.8	53.9	44.8	46.0	55.7	55.9
Vehicle Noise:	**68.2**	**62.4**	**59.4**	**54.5**	**63.1**	**63.5**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR	
Unmitigated	
60 dBA	269
65 dBA	85
70 dBA	27
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Future
Analyst:	Ryan Richards	Job #:	158820
Roadway:	La Sierra Ave.		
Road Segment:	Magnolia Ave. to Collett Ave.		

PROJECT DATA

Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**

Rt View: **90** Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA

Road Grade:	0
Average Daily Traffic:	23500
Peak Hour Traffic:	**2350**
Vehicle Speed:	40
Centerline Separation:	50

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	55.0	63.8	62.0	55.9	64.5	65.2
Medium Trucks:	63.9	55.9	49.5	47.9	56.4	56.6
Heavy Trucks:	68.8	56.8	47.8	49.0	58.7	58.9
Vehicle Noise:	**71.2**	**65.3**	**62.4**	**57.5**	**66.1**	**66.5**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR

Unmitigated	
60 dBA	551
65 dBA	174
70 dBA	55
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Future
Analyst:	Ryan Richards	Job #:	158820
Roadway:	La Sierra Ave.		
Road Segment:	North of Cypress Ave.		

PROJECT DATA

Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**

Rt View: **90** Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA

Road Grade:	0
Average Daily Traffic:	19400
Peak Hour Traffic:	**1940**
Vehicle Speed:	45
Centerline Separation:	50

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	55.6	64.4	62.6	56.5	65.2	65.8
Medium Trucks:	63.9	55.8	49.5	47.9	56.4	56.6
Heavy Trucks:	68.4	56.5	47.4	48.6	58.2	58.3
Vehicle Noise:	**70.8**	**65.7**	**63.0**	**57.8**	**66.4**	**66.9**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR

Unmitigated	
60 dBA	603
65 dBA	191
70 dBA	60
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Future
Analyst:	Ryan Richards	Job #:	158820
Roadway:	La Sierra Ave.		
Road Segment:	North of Pierce St.		

PROJECT DATA

Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**

Rt View: **90** Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA

Road Grade:	0
Average Daily Traffic:	26200
Peak Hour Traffic:	**2620**
Vehicle Speed:	40
Centerline Separation:	50

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	55.5	64.2	62.4	56.4	65.0	65.6
Medium Trucks:	64.4	56.3	50.0	48.4	56.9	57.1
Heavy Trucks:	69.3	57.3	48.3	49.5	59.2	59.3
Vehicle Noise:	**71.6**	**65.8**	**62.9**	**57.9**	**66.5**	**67.0**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR

Unmitigated	
60 dBA	614
65 dBA	194
70 dBA	61
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Future
Analyst:	Ryan Richards	Job #:	158820
Roadway:	La Sierra Ave.		
Road Segment:	North of SR-91		

PROJECT DATA

Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**

Rt View: **90** Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA

Road Grade:	0
Average Daily Traffic:	37800
Peak Hour Traffic:	**3780**
Vehicle Speed:	45
Centerline Separation:	50

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	58.5	67.3	65.5	59.4	68.1	68.7
Medium Trucks:	66.8	58.7	52.3	50.8	59.3	59.5
Heavy Trucks:	71.3	59.4	50.3	51.5	61.1	61.2
Vehicle Noise:	**73.7**	**68.6**	**65.9**	**60.7**	**69.3**	**69.8**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR

Unmitigated	
60 dBA	1175
65 dBA	372
70 dBA	118
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Future
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Lincoln Ave		
Road Segment:	West of Monroe St.		

PROJECT DATA		SITE DATA	
Centerline Dist to Barrier	**0**	Road Grade:	0
Barrier (0=wall, 1= berm):	**0**	Average Daily Traffic:	8200
Receiver Barrier Dist:	**0**	Peak Hour Traffic:	**820**
Centerline Dist. To Observer:	**100**	Vehicle Speed:	45
Barrier Near Lane CL Dist:	**0**	Centerline Separation:	36
Barrier Far lane CL Dist:	**0**	**NOISE INPUTS**	
Pad Elevation:	**0.5**	Site conditions **HARD SITE**	
Road Elevation:	**0**	**FLEET MIX**	
Observer Height (above grade):	**0**		
Barrier Height:	**0**		
Rt View: **90**	Lft View: **-90**		

NOISE SOURCE ELEVATIONS (Feet)	
Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	52.1	60.9	59.1	53.0	61.7	62.3
Medium Trucks:	60.4	52.3	45.9	44.4	52.8	53.1
Heavy Trucks:	64.9	53.0	43.9	45.1	54.7	54.8
Vehicle Noise:	**67.2**	**62.2**	**59.5**	**54.3**	**62.9**	**63.4**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR	
Unmitigated	
60 dBA	255
65 dBA	81
70 dBA	26
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Future
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Magnolia Ave.		
Road Segment:	East of Harrison St.		

PROJECT DATA

Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**

Rt View: **90** Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA

Road Grade:	0
Average Daily Traffic:	34300
Peak Hour Traffic:	**3430**
Vehicle Speed:	40
Centerline Separation:	50

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	56.6	65.4	63.6	57.5	66.2	66.8
Medium Trucks:	65.6	57.5	51.1	49.6	58.0	58.3
Heavy Trucks:	70.4	58.5	49.4	50.7	60.4	60.5
Vehicle Noise:	**72.8**	**67.0**	**64.1**	**59.1**	**67.7**	**68.2**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR

Unmitigated	
60 dBA	804
65 dBA	254
70 dBA	80
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Future
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Magnolia Ave.		
Road Segment:	East of Jackson St.		

PROJECT DATA

Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**

Rt View: **90** Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA

Road Grade:	0
Average Daily Traffic:	26300
Peak Hour Traffic:	**2630**
Vehicle Speed:	40
Centerline Separation:	50

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	55.5	64.3	62.5	56.4	65.0	65.6
Medium Trucks:	64.4	56.4	50.0	48.4	56.9	57.1
Heavy Trucks:	69.3	57.3	48.3	49.5	59.2	59.3
Vehicle Noise:	**71.6**	**65.8**	**62.9**	**58.0**	**66.5**	**67.0**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR

Unmitigated	
60 dBA	617
65 dBA	195
70 dBA	62
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Future
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Magnolia Ave.		
Road Segment:	South of Jurupa Ave.		

PROJECT DATA

Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**
Rt View: **90**	Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA

Road Grade:	0
Average Daily Traffic:	22200
Peak Hour Traffic:	**2220**
Vehicle Speed:	35
Centerline Separation:	36

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	53.3	62.1	60.3	54.2	62.8	63.4
Medium Trucks:	63.0	54.9	48.5	47.0	55.5	55.7
Heavy Trucks:	68.2	56.3	47.2	48.4	58.3	58.5
Vehicle Noise:	**70.7**	**64.0**	**60.8**	**56.1**	**64.7**	**65.2**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR

Unmitigated	
60 dBA	383
65 dBA	121
70 dBA	38
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Future
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Magnolia Ave.		
Road Segment:	SR-91 WB Off-Ramp to SR-91 WB On-Ramp		

PROJECT DATA

Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**
Rt View: **90**	Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA

Road Grade:	0
Average Daily Traffic:	32800
Peak Hour Traffic:	**3280**
Vehicle Speed:	40
Centerline Separation:	80

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	56.0	64.8	63.0	56.9	65.6	66.2
Medium Trucks:	65.0	56.9	50.5	49.0	57.5	57.7
Heavy Trucks:	69.8	57.9	48.8	50.1	59.8	59.9
Vehicle Noise:	**72.2**	**66.4**	**63.5**	**58.5**	**67.1**	**67.6**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR

Unmitigated	
60 dBA	769
65 dBA	243
70 dBA	77
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Future
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Magnolia Ave.		
Road Segment:	West of Tyler St.		

PROJECT DATA

Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**

Rt View: **90** Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA

Road Grade:	0
Average Daily Traffic:	35500
Peak Hour Traffic:	**3550**
Vehicle Speed:	40
Centerline Separation:	50

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	56.8	65.6	63.8	57.7	66.3	66.9
Medium Trucks:	65.7	57.7	51.3	49.7	58.2	58.4
Heavy Trucks:	70.6	58.6	49.6	50.8	60.5	60.6
Vehicle Noise:	**73.0**	**67.1**	**64.2**	**59.3**	**67.8**	**68.3**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR

Unmitigated	
60 dBA	832
65 dBA	263
70 dBA	83
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Future
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Martin Luther King Blvd.		
Road Segment:	East of Iowa Ave.		

PROJECT DATA

Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**

Rt View: **90** Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA

Road Grade:	0
Average Daily Traffic:	23300
Peak Hour Traffic:	**2330**
Vehicle Speed:	35
Centerline Separation:	46

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	53.3	62.1	60.3	54.2	62.9	63.5
Medium Trucks:	63.1	55.0	48.6	47.0	55.5	55.8
Heavy Trucks:	68.3	56.3	47.3	48.5	58.4	58.5
Vehicle Noise:	**70.7**	**64.1**	**60.9**	**56.2**	**64.8**	**65.2**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR

Unmitigated	
60 dBA	402
65 dBA	127
70 dBA	40
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Future
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Martin Luther King Blvd.		
Road Segment:	East of Kansas Ave.		

PROJECT DATA

Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**
Rt View: **90**	Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA

Road Grade:	0
Average Daily Traffic:	23600
Peak Hour Traffic:	**2360**
Vehicle Speed:	35
Centerline Separation:	46

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	53.4	62.2	60.4	54.3	63.0	63.6
Medium Trucks:	63.1	55.0	48.7	47.1	55.6	55.8
Heavy Trucks:	68.3	56.4	47.3	48.6	58.5	58.6
Vehicle Noise:	**70.8**	**64.1**	**60.9**	**56.3**	**64.8**	**65.3**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR

Unmitigated	
60 dBA	407
65 dBA	129
70 dBA	41
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Future
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Pierce St.		
Road Segment:	West of La Sierra Ave.		

PROJECT DATA

Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**
Rt View: **90**	Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA

Road Grade:	0
Average Daily Traffic:	19300
Peak Hour Traffic:	**1930**
Vehicle Speed:	40
Centerline Separation:	45

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	54.2	63.0	61.2	55.1	63.8	64.4
Medium Trucks:	63.2	55.1	48.7	47.1	55.6	55.9
Heavy Trucks:	68.0	56.1	47.0	48.2	57.9	58.1
Vehicle Noise:	**70.4**	**64.6**	**61.6**	**56.7**	**65.3**	**65.8**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR

Unmitigated	
60 dBA	453
65 dBA	143
70 dBA	45
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Future
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Riverwalk Pkwy.		
Road Segment:	Sierra Vista Ave. to Raley Dr.		

PROJECT DATA

Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**

Rt View: **90** Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA

Road Grade:	0
Average Daily Traffic:	27200
Peak Hour Traffic:	**2720**
Vehicle Speed:	40
Centerline Separation:	45

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	55.7	64.5	62.7	56.6	65.3	65.9
Medium Trucks:	64.6	56.6	50.2	48.6	57.1	57.3
Heavy Trucks:	69.5	57.6	48.5	49.7	59.4	59.6
Vehicle Noise:	**71.9**	**66.1**	**63.1**	**58.2**	**66.8**	**67.2**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR

Unmitigated	
60 dBA	638
65 dBA	202
70 dBA	64
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Future
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Trautwein Rd.		
Road Segment:	South of Alessandro Blvd.		

PROJECT DATA

Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**

Rt View: **90** Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA

Road Grade:	0
Average Daily Traffic:	31100
Peak Hour Traffic:	**3110**
Vehicle Speed:	50
Centerline Separation:	60

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	58.9	67.6	65.8	59.8	68.4	69.0
Medium Trucks:	66.5	58.5	52.1	50.5	59.0	59.2
Heavy Trucks:	70.8	58.8	49.8	51.0	60.4	60.5
Vehicle Noise:	**73.1**	**68.7**	**66.2**	**60.9**	**69.5**	**70.0**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR

Unmitigated	
60 dBA	1256
65 dBA	397
70 dBA	126
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Future
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Tyler St.		
Road Segment:	North of Magnolia Ave.		

PROJECT DATA

Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**

Rt View: **90** Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA

Road Grade:	0
Average Daily Traffic:	27500
Peak Hour Traffic:	**2750**
Vehicle Speed:	40
Centerline Separation:	60

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	55.5	64.3	62.5	56.4	65.1	65.7
Medium Trucks:	64.5	56.4	50.0	48.5	56.9	57.2
Heavy Trucks:	69.3	57.4	48.3	49.6	59.3	59.4
Vehicle Noise:	**71.7**	**65.9**	**63.0**	**58.0**	**66.6**	**67.1**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR

Unmitigated	
60 dBA	644
65 dBA	204
70 dBA	64
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Future
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Tyler St.		
Road Segment:	North of SR-91		

PROJECT DATA

Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**

Rt View: **90** Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA

Road Grade:	0
Average Daily Traffic:	37000
Peak Hour Traffic:	**3700**
Vehicle Speed:	35
Centerline Separation:	60

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	55.1	63.9	62.1	56.1	64.7	65.3
Medium Trucks:	64.9	56.8	50.4	48.8	57.3	57.6
Heavy Trucks:	70.1	58.1	49.1	50.3	60.2	60.3
Vehicle Noise:	**72.5**	**65.9**	**62.7**	**58.0**	**66.6**	**67.0**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR

Unmitigated	
60 dBA	638
65 dBA	202
70 dBA	64
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Future
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Van Buren Blvd		
Road Segment:	North of SR-91		

PROJECT DATA		SITE DATA	
Centerline Dist to Barrier	**0**	Road Grade:	0
Barrier (0=wall, 1= berm):	**0**	Average Daily Traffic:	36900
Receiver Barrier Dist:	**0**	Peak Hour Traffic:	**3690**
Centerline Dist. To Observer:	**100**	Vehicle Speed:	40
Barrier Near Lane CL Dist:	**0**	Centerline Separation:	60
Barrier Far lane CL Dist:	**0**		
Pad Elevation:	**0.5**		
Road Elevation:	**0**		
Observer Height (above grade):	**0**		
Barrier Height:	**0**		
Rt View: **90**	Lft View: **-90**		

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	56.8	65.6	63.8	57.7	66.4	67.0
Medium Trucks:	65.8	57.7	51.3	49.7	58.2	58.5
Heavy Trucks:	70.6	58.7	49.6	50.8	60.5	60.7
Vehicle Noise:	**73.0**	**67.2**	**64.2**	**59.3**	**67.9**	**68.4**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR	
Unmitigated	
60 dBA	865
65 dBA	274
70 dBA	87
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Future
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Van Buren Blvd		
Road Segment:	South of Cleveland Ave.		

PROJECT DATA

Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**

Rt View: **90** Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA

Road Grade:	0
Average Daily Traffic:	38100
Peak Hour Traffic:	**3810**
Vehicle Speed:	55
Centerline Separation:	45

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	61.1	69.9	68.1	62.0	70.7	71.3
Medium Trucks:	68.3	60.2	53.8	52.2	60.7	61.0
Heavy Trucks:	72.2	60.3	51.2	52.5	61.7	61.8
Vehicle Noise:	**74.5**	**70.9**	**68.4**	**63.0**	**71.6**	**72.1**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR

Unmitigated	
60 dBA	1958
65 dBA	619
70 dBA	196
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Future
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Van Buren Blvd		
Road Segment:	West of Washington St.		

PROJECT DATA

Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**

Rt View: **90** Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA

Road Grade:	0
Average Daily Traffic:	33000
Peak Hour Traffic:	**3300**
Vehicle Speed:	55
Centerline Separation:	40

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	60.6	69.4	67.6	61.5	70.2	70.8
Medium Trucks:	67.7	59.7	53.3	51.7	60.2	60.4
Heavy Trucks:	71.7	59.7	50.7	51.9	61.2	61.3
Vehicle Noise:	**74.0**	**70.3**	**67.8**	**62.4**	**71.0**	**71.6**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR

Unmitigated	
60 dBA	1695
65 dBA	536
70 dBA	169
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Future
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Van Buren Blvd		
Road Segment:	West of Wood Rd.		

PROJECT DATA

Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**

Rt View: **90** Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA

Road Grade:	0
Average Daily Traffic:	41700
Peak Hour Traffic:	**4170**
Vehicle Speed:	55
Centerline Separation:	40

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	61.6	70.4	68.6	62.5	71.2	71.8
Medium Trucks:	68.7	60.7	54.3	52.7	61.2	61.4
Heavy Trucks:	72.7	60.8	51.7	52.9	62.2	62.3
Vehicle Noise:	**75.0**	**71.3**	**68.9**	**63.4**	**72.1**	**72.6**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR

Unmitigated	
60 dBA	2143
65 dBA	678
70 dBA	214
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Future
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Van Buren Blvd		
Road Segment:	North of Arlington Ave.		

PROJECT DATA

Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**

Rt View: **90** Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA

Road Grade:	0
Average Daily Traffic:	48700
Peak Hour Traffic:	**4870**
Vehicle Speed:	45
Centerline Separation:	65

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	59.4	68.2	66.4	60.3	69.0	69.6
Medium Trucks:	67.7	59.6	53.2	51.7	60.2	60.4
Heavy Trucks:	72.2	60.3	51.2	52.4	62.0	62.1
Vehicle Noise:	**74.5**	**69.5**	**66.8**	**61.6**	**70.2**	**70.7**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR

Unmitigated	
60 dBA	1513
65 dBA	478
70 dBA	151
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Future
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Van Buren Blvd		
Road Segment:	North of Colorado Ave.		

PROJECT DATA

Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**

Rt View: **90** Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA

Road Grade:	0
Average Daily Traffic:	37000
Peak Hour Traffic:	**3700**
Vehicle Speed:	40
Centerline Separation:	45

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	57.0	65.8	64.0	57.9	66.6	67.2
Medium Trucks:	66.0	57.9	51.5	50.0	58.4	58.7
Heavy Trucks:	70.8	58.9	49.8	51.1	60.8	60.9
Vehicle Noise:	**73.2**	**67.4**	**64.5**	**59.5**	**68.1**	**68.6**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR

Unmitigated	
60 dBA	866
65 dBA	274
70 dBA	87
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Future
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Van Buren Blvd		
Road Segment:	North of Colorado Ave.		

PROJECT DATA

Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**

Rt View: **90** Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA

Road Grade:	0
Average Daily Traffic:	62100
Peak Hour Traffic:	**6210**
Vehicle Speed:	55
Centerline Separation:	75

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	62.9	71.6	69.8	63.8	72.4	73.0
Medium Trucks:	70.0	61.9	55.5	54.0	62.4	62.7
Heavy Trucks:	73.9	62.0	52.9	54.2	63.4	63.6
Vehicle Noise:	**76.3**	**72.6**	**70.1**	**64.7**	**73.3**	**73.8**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR

Unmitigated	
60 dBA	3196
65 dBA	1011
70 dBA	320
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Future
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Victoria Ave.		
Road Segment:	West of Van Buren Blvd.		

PROJECT DATA

Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**

Rt View: **90** Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA

Road Grade:	0
Average Daily Traffic:	8500
Peak Hour Traffic:	**850**
Vehicle Speed:	40
Centerline Separation:	55

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	50.5	59.3	57.5	51.4	60.1	60.7
Medium Trucks:	59.4	51.4	45.0	43.4	51.9	52.1
Heavy Trucks:	64.3	52.4	43.3	44.5	54.2	54.4
Vehicle Noise:	**66.7**	**60.9**	**57.9**	**53.0**	**61.6**	**62.0**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR

Unmitigated	
60 dBA	199
65 dBA	63
70 dBA	20
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Future Plus Project
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Alessandro Blvd		
Road Segment:	East of Mission Grove Pkwy		

PROJECT DATA		SITE DATA	
Centerline Dist to Barrier	**0**	Road Grade:	0
Barrier (0=wall, 1= berm):	**0**	Average Daily Traffic:	52900
Receiver Barrier Dist:	**0**	Peak Hour Traffic:	**5290**
Centerline Dist. To Observer:	**100**	Vehicle Speed:	50
Barrier Near Lane CL Dist:	**0**	Centerline Separation:	65
Barrier Far lane CL Dist:	**0**	**NOISE INPUTS**	
Pad Elevation:	**0.5**	Site conditions **HARD SITE**	
Road Elevation:	**0**	**FLEET MIX**	
Observer Height (above grade):	**0**		
Barrier Height:	**0**		
Rt View: **90**	Lft View: **-90**		

NOISE SOURCE ELEVATIONS (Feet)	
Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	61.1	69.9	68.1	62.0	70.7	71.3
Medium Trucks:	68.8	60.7	54.3	52.7	61.2	61.5
Heavy Trucks:	73.0	61.1	52.0	53.2	62.6	62.7
Vehicle Noise:	**75.3**	**71.0**	**68.4**	**63.1**	**71.7**	**72.2**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR	
Unmitigated	
60 dBA	2137
65 dBA	676
70 dBA	214
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Future Plus Project
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Alessandro Blvd		
Road Segment:	North of Via Vista		

PROJECT DATA		SITE DATA	
Centerline Dist to Barrier	**0**	Road Grade:	0
Barrier (0=wall, 1= berm):	**0**	Average Daily Traffic:	52100
Receiver Barrier Dist:	**0**	Peak Hour Traffic:	**5210**
Centerline Dist. To Observer:	**100**	Vehicle Speed:	50
Barrier Near Lane CL Dist:	**0**	Centerline Separation:	50
Barrier Far lane CL Dist:	**0**	**NOISE INPUTS**	
Pad Elevation:	**0.5**	Site conditions **HARD SITE**	
Road Elevation:	**0**	**FLEET MIX**	
Observer Height (above grade):	**0**		
Barrier Height:	**0**		
Rt View: **90**	Lft View: **-90**		

NOISE SOURCE ELEVATIONS (Feet)	
Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	61.2	70.0	68.2	62.1	70.8	71.4
Medium Trucks:	68.9	60.8	54.5	52.9	61.4	61.6
Heavy Trucks:	73.1	61.2	52.1	53.4	62.8	62.9
Vehicle Noise:	**75.5**	**71.1**	**68.5**	**63.2**	**71.8**	**72.4**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR	
Unmitigated	
60 dBA	2104
65 dBA	665
70 dBA	210
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Future Plus Project
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Alessandro Blvd		
Road Segment:	West of Sycamore Canyon		

PROJECT DATA

Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**
Rt View: **90**	Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA

Road Grade:	0
Average Daily Traffic:	52800
Peak Hour Traffic:	**5280**
Vehicle Speed:	55
Centerline Separation:	60

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	62.3	71.1	69.3	63.3	71.9	72.5
Medium Trucks:	69.5	61.4	55.0	53.4	61.9	62.2
Heavy Trucks:	73.4	61.5	52.4	53.7	62.9	63.0
Vehicle Noise:	**75.7**	**72.1**	**69.6**	**64.2**	**72.8**	**73.3**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR

Unmitigated	
60 dBA	2717
65 dBA	859
70 dBA	272
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Future Plus Project
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Arlington Avenue		
Road Segment:	East of Brockton Ave		

PROJECT DATA		SITE DATA	
Centerline Dist to Barrier	**0**	Road Grade:	0
Barrier (0=wall, 1= berm):	**0**	Average Daily Traffic:	26700
Receiver Barrier Dist:	**0**	Peak Hour Traffic:	**2670**
Centerline Dist. To Observer:	**100**	Vehicle Speed:	40
Barrier Near Lane CL Dist:	**0**	Centerline Separation:	32
Barrier Far lane CL Dist:	**0**	**NOISE INPUTS**	
Pad Elevation:	**0.5**	Site conditions **HARD SITE**	
Road Elevation:	**0**	**FLEET MIX**	
Observer Height (above grade):	**0**		
Barrier Height:	**0**		
Rt View: **90**	Lft View: **-90**		

NOISE SOURCE ELEVATIONS (Feet)	
Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	55.8	64.6	62.8	56.7	65.4	66.0
Medium Trucks:	64.8	56.7	50.3	48.7	57.2	57.5
Heavy Trucks:	69.6	57.7	48.6	49.8	59.6	59.7
Vehicle Noise:	**72.0**	**66.2**	**63.3**	**58.3**	**66.9**	**67.4**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR	
Unmitigated	
60 dBA	626
65 dBA	198
70 dBA	63
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Future Plus Project
Analyst:	Ryan Richards	Job #:	158820
Roadway:	California Ave.		
Road Segment:	East of Adams St.		

PROJECT DATA		SITE DATA	
Centerline Dist to Barrier	0	Road Grade:	0
Barrier (0=wall, 1= berm):	0	Average Daily Traffic:	16600
Receiver Barrier Dist:	0	Peak Hour Traffic:	**1660**
Centerline Dist. To Observer:	**100**	Vehicle Speed:	40
Barrier Near Lane CL Dist:	0	Centerline Separation:	36
Barrier Far lane CL Dist:	0	**NOISE INPUTS**	
Pad Elevation:	**0.5**	Site conditions **HARD SITE**	
Road Elevation:	0	**FLEET MIX**	
Observer Height (above grade):	0		
Barrier Height:	0		
Rt View: **90**	Lft View: **-90**		

NOISE SOURCE ELEVATIONS (Feet)	
Autos:	0
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	53.7	62.5	60.7	54.6	63.2	63.9
Medium Trucks:	62.6	54.6	48.2	46.6	55.1	55.3
Heavy Trucks:	67.5	55.6	46.5	47.7	57.4	57.6
Vehicle Noise:	**69.9**	**64.0**	**61.1**	**56.2**	**64.8**	**65.2**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR	
Unmitigated	
60 dBA	389
65 dBA	123
70 dBA	39
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Future Plus Project
Analyst:	Ryan Richards	Job #:	158820
Roadway:	California Ave.		
Road Segment:	East of Van Buren Blvd.		

PROJECT DATA		SITE DATA	
Centerline Dist to Barrier	**0**	Road Grade:	0
Barrier (0=wall, 1= berm):	**0**	Average Daily Traffic:	17900
Receiver Barrier Dist:	**0**	Peak Hour Traffic:	**1790**
Centerline Dist. To Observer:	**100**	Vehicle Speed:	40
Barrier Near Lane CL Dist:	**0**	Centerline Separation:	36
Barrier Far lane CL Dist:	**0**		
Pad Elevation:	**0.5**		
Road Elevation:	**0**		
Observer Height (above grade):	**0**		
Barrier Height:	**0**		
Rt View: **90**	Lft View: **-90**		

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	54.0	62.8	61.0	54.9	63.6	64.2
Medium Trucks:	63.0	54.9	48.5	46.9	55.4	55.7
Heavy Trucks:	67.8	55.9	46.8	48.0	57.8	57.9
Vehicle Noise:	**70.2**	**64.4**	**61.5**	**56.5**	**65.1**	**65.6**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR	
Unmitigated	
60 dBA	420
65 dBA	133
70 dBA	42
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Future Plus Project
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Chicago Ave		
Road Segment:	North of Spruce St.		

PROJECT DATA		SITE DATA	
Centerline Dist to Barrier	**0**	Road Grade:	0
Barrier (0=wall, 1= berm):	**0**	Average Daily Traffic:	16300
Receiver Barrier Dist:	**0**	Peak Hour Traffic:	**1630**
Centerline Dist. To Observer:	**100**	Vehicle Speed:	45
Barrier Near Lane CL Dist:	**0**	Centerline Separation:	42
Barrier Far lane CL Dist:	**0**		
Pad Elevation:	**0.5**		
Road Elevation:	**0**		
Observer Height (above grade):	**0**		
Barrier Height:	**0**		
Rt View: **90**	Lft View: **-90**		

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	55.0	63.8	62.0	55.9	64.5	65.2
Medium Trucks:	63.3	55.2	48.8	47.2	55.7	56.0
Heavy Trucks:	67.8	55.8	46.8	48.0	57.6	57.7
Vehicle Noise:	**70.1**	**65.1**	**62.3**	**57.2**	**65.8**	**66.3**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR	
Unmitigated	
60 dBA	507
65 dBA	160
70 dBA	51
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Future Plus Project
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Indiana Ave.		
Road Segment:	East of Harrison St.		

PROJECT DATA		SITE DATA	
Centerline Dist to Barrier	**0**	Road Grade:	0
Barrier (0=wall, 1= berm):	**0**	Average Daily Traffic:	15100
Receiver Barrier Dist:	**0**	Peak Hour Traffic:	**1510**
Centerline Dist. To Observer:	**100**	Vehicle Speed:	40
Barrier Near Lane CL Dist:	**0**	Centerline Separation:	36
Barrier Far lane CL Dist:	**0**	**NOISE INPUTS**	
Pad Elevation:	**0.5**	Site conditions **HARD SITE**	
Road Elevation:	**0**	**FLEET MIX**	
Observer Height (above grade):	**0**		
Barrier Height:	**0**		
Rt View: **90**	Lft View: **-90**		

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	53.3	62.1	60.3	54.2	62.8	63.4
Medium Trucks:	62.2	54.2	47.8	46.2	54.7	54.9
Heavy Trucks:	67.1	55.1	46.1	47.3	57.0	57.1
Vehicle Noise:	**69.5**	**63.6**	**60.7**	**55.8**	**64.3**	**64.8**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR	
Unmitigated	
60 dBA	354
65 dBA	112
70 dBA	35
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Future Plus Project
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Jackson St.		
Road Segment:	North of Indiana Ave.		

PROJECT DATA		SITE DATA	
Centerline Dist to Barrier	**0**	Road Grade:	0
Barrier (0=wall, 1= berm):	**0**	Average Daily Traffic:	12700
Receiver Barrier Dist:	**0**	Peak Hour Traffic:	**1270**
Centerline Dist. To Observer:	**100**	Vehicle Speed:	40
Barrier Near Lane CL Dist:	**0**	Centerline Separation:	42
Barrier Far lane CL Dist:	**0**	**NOISE INPUTS**	
Pad Elevation:	**0.5**	Site conditions **HARD SITE**	
Road Elevation:	**0**	**FLEET MIX**	
Observer Height (above grade):	**0**		
Barrier Height:	**0**		
Rt View: **90**	Lft View: **-90**		

NOISE SOURCE ELEVATIONS (Feet)	
Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	52.4	61.2	59.4	53.3	62.0	62.6
Medium Trucks:	61.4	53.3	46.9	45.4	53.8	54.1
Heavy Trucks:	66.2	54.3	45.2	46.5	56.2	56.3
Vehicle Noise:	**68.6**	**62.8**	**59.9**	**54.9**	**63.5**	**64.0**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR	
Unmitigated	
60 dBA	298
65 dBA	94
70 dBA	30
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Future Plus Project
Analyst:	Ryan Richards	Job #:	158820
Roadway:	La Sierra Ave.		
Road Segment:	Magnolia Ave. to Collett Ave.		

PROJECT DATA

Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**
Rt View: **90**	Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA

Road Grade:	0
Average Daily Traffic:	26800
Peak Hour Traffic:	**2680**
Vehicle Speed:	40
Centerline Separation:	50

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	55.6	64.3	62.5	56.5	65.1	65.7
Medium Trucks:	64.5	56.4	50.1	48.5	57.0	57.2
Heavy Trucks:	69.4	57.4	48.4	49.6	59.3	59.4
Vehicle Noise:	**71.7**	**65.9**	**63.0**	**58.0**	**66.6**	**67.1**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR

Unmitigated	
60 dBA	628
65 dBA	199
70 dBA	63
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Future Plus Project
Analyst:	Ryan Richards	Job #:	158820
Roadway:	La Sierra Ave.		
Road Segment:	North of Cypress Ave.		

PROJECT DATA		SITE DATA	
Centerline Dist to Barrier	**0**	Road Grade:	0
Barrier (0=wall, 1= berm):	**0**	Average Daily Traffic:	20900
Receiver Barrier Dist:	**0**	Peak Hour Traffic:	**2090**
Centerline Dist. To Observer:	**100**	Vehicle Speed:	45
Barrier Near Lane CL Dist:	**0**	Centerline Separation:	50
Barrier Far lane CL Dist:	**0**	**NOISE INPUTS**	
Pad Elevation:	**0.5**	Site conditions **HARD SITE**	
Road Elevation:	**0**	**FLEET MIX**	
Observer Height (above grade):	**0**		
Barrier Height:	**0**		
Rt View: **90**	Lft View: **-90**		

NOISE SOURCE ELEVATIONS (Feet)	
Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	55.9	64.7	62.9	56.9	65.5	66.1
Medium Trucks:	64.2	56.2	49.8	48.2	56.7	56.9
Heavy Trucks:	68.7	56.8	47.8	49.0	58.5	58.6
Vehicle Noise:	**71.1**	**66.0**	**63.3**	**58.2**	**66.8**	**67.3**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR	
Unmitigated	
60 dBA	650
65 dBA	206
70 dBA	65
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Future Plus Project
Analyst:	Ryan Richards	Job #:	158820
Roadway:	La Sierra Ave.		
Road Segment:	North of Pierce St.		

PROJECT DATA		SITE DATA	
Centerline Dist to Barrier	**0**	Road Grade:	0
Barrier (0=wall, 1= berm):	**0**	Average Daily Traffic:	29000
Receiver Barrier Dist:	**0**	Peak Hour Traffic:	**2900**
Centerline Dist. To Observer:	**100**	Vehicle Speed:	40
Barrier Near Lane CL Dist:	**0**	Centerline Separation:	50
Barrier Far lane CL Dist:	**0**	**NOISE INPUTS**	
Pad Elevation:	**0.5**	Site conditions **HARD SITE**	
Road Elevation:	**0**	**FLEET MIX**	
Observer Height (above grade):	**0**		
Barrier Height:	**0**		
Rt View: **90**	Lft View: **-90**		

NOISE SOURCE ELEVATIONS (Feet)	
Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	55.9	64.7	62.9	56.8	65.5	66.1
Medium Trucks:	64.9	56.8	50.4	48.8	57.3	57.5
Heavy Trucks:	69.7	57.8	48.7	49.9	59.6	59.8
Vehicle Noise:	**72.1**	**66.3**	**63.3**	**58.4**	**67.0**	**67.4**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR	
Unmitigated	
60 dBA	679
65 dBA	215
70 dBA	68
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Future Plus Project
Analyst:	Ryan Richards	Job #:	158820
Roadway:	La Sierra Ave.		
Road Segment:	North of SR-91		

PROJECT DATA

Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**

Rt View: **90** Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA

Road Grade:	0
Average Daily Traffic:	43200
Peak Hour Traffic:	**4320**
Vehicle Speed:	45
Centerline Separation:	50

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	59.1	67.9	66.1	60.0	68.7	69.3
Medium Trucks:	67.4	59.3	52.9	51.4	59.8	60.1
Heavy Trucks:	71.9	60.0	50.9	52.1	61.7	61.8
Vehicle Noise:	**74.2**	**69.2**	**66.5**	**61.3**	**69.9**	**70.4**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR

Unmitigated	
60 dBA	1343
65 dBA	425
70 dBA	134
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Future Plus Project
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Lincoln Ave		
Road Segment:	West of Monroe St.		

PROJECT DATA		SITE DATA	
Centerline Dist to Barrier	**0**	Road Grade:	0
Barrier (0=wall, 1= berm):	**0**	Average Daily Traffic:	10700
Receiver Barrier Dist:	**0**	Peak Hour Traffic:	**1070**
Centerline Dist. To Observer:	**100**	Vehicle Speed:	45
Barrier Near Lane CL Dist:	**0**	Centerline Separation:	36
Barrier Far lane CL Dist:	**0**		
Pad Elevation:	**0.5**		
Road Elevation:	**0**		
Observer Height (above grade):	**0**		
Barrier Height:	**0**		
Rt View: **90**	Lft View: **-90**		

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	53.3	62.0	60.2	54.2	62.8	63.4
Medium Trucks:	61.5	53.5	47.1	45.5	54.0	54.2
Heavy Trucks:	66.1	54.1	45.1	46.3	55.8	55.9
Vehicle Noise:	**68.4**	**63.3**	**60.6**	**55.5**	**64.1**	**64.6**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR	
Unmitigated	
60 dBA	332
65 dBA	105
70 dBA	33
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Future Plus Project
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Magnolia Ave.		
Road Segment:	East of Harrison St.		

PROJECT DATA		SITE DATA	
Centerline Dist to Barrier	**0**	Road Grade:	0
Barrier (0=wall, 1= berm):	**0**	Average Daily Traffic:	39000
Receiver Barrier Dist:	**0**	Peak Hour Traffic:	**3900**
Centerline Dist. To Observer:	**100**	Vehicle Speed:	40
Barrier Near Lane CL Dist:	**0**	Centerline Separation:	50
Barrier Far lane CL Dist:	**0**	**NOISE INPUTS**	
Pad Elevation:	**0.5**	Site conditions **HARD SITE**	
Road Elevation:	**0**	**FLEET MIX**	
Observer Height (above grade):	**0**		
Barrier Height:	**0**		
Rt View: **90**	Lft View: **-90**		

NOISE SOURCE ELEVATIONS (Feet)	
Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	57.2	66.0	64.2	58.1	66.7	67.4
Medium Trucks:	66.1	58.1	51.7	50.1	58.6	58.8
Heavy Trucks:	71.0	59.0	50.0	51.2	60.9	61.1
Vehicle Noise:	**73.4**	**67.5**	**64.6**	**59.7**	**68.3**	**68.7**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR	
Unmitigated	
60 dBA	914
65 dBA	289
70 dBA	91
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Future Plus Project
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Magnolia Ave.		
Road Segment:	East of Jackson St.		

PROJECT DATA		SITE DATA	
Centerline Dist to Barrier	**0**	Road Grade:	0
Barrier (0=wall, 1= berm):	**0**	Average Daily Traffic:	31200
Receiver Barrier Dist:	**0**	Peak Hour Traffic:	**3120**
Centerline Dist. To Observer:	**100**	Vehicle Speed:	40
Barrier Near Lane CL Dist:	**0**	Centerline Separation:	50
Barrier Far lane CL Dist:	**0**	**NOISE INPUTS**	
Pad Elevation:	**0.5**	Site conditions **HARD SITE**	
Road Elevation:	**0**	**FLEET MIX**	
Observer Height (above grade):	**0**		
Barrier Height:	**0**		
Rt View: **90**	Lft View: **-90**		

NOISE SOURCE ELEVATIONS (Feet)	
Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	56.2	65.0	63.2	57.1	65.8	66.4
Medium Trucks:	65.2	57.1	50.7	49.1	57.6	57.9
Heavy Trucks:	70.0	58.1	49.0	50.2	60.0	60.1
Vehicle Noise:	**72.4**	**66.6**	**63.7**	**58.7**	**67.3**	**67.8**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR	
Unmitigated	
60 dBA	731
65 dBA	231
70 dBA	73
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Future Plus Project
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Magnolia Ave.		
Road Segment:	South of Jurupa Ave.		

PROJECT DATA		SITE DATA	
Centerline Dist to Barrier	**0**	Road Grade:	0
Barrier (0=wall, 1= berm):	**0**	Average Daily Traffic:	23700
Receiver Barrier Dist:	**0**	Peak Hour Traffic:	**2370**
Centerline Dist. To Observer:	**100**	Vehicle Speed:	35
Barrier Near Lane CL Dist:	**0**	Centerline Separation:	36
Barrier Far lane CL Dist:	**0**		
Pad Elevation:	**0.5**		
Road Elevation:	**0**		
Observer Height (above grade):	**0**		
Barrier Height:	**0**		
Rt View: **90**	Lft View: **-90**		

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	53.6	62.3	60.6	54.5	63.1	63.7
Medium Trucks:	63.3	55.2	48.8	47.3	55.7	56.0
Heavy Trucks:	68.5	56.6	47.5	48.7	58.6	58.8
Vehicle Noise:	**70.9**	**64.3**	**61.1**	**56.4**	**65.0**	**65.5**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR	
Unmitigated	
60 dBA	409
65 dBA	129
70 dBA	41
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Future Plus Project
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Magnolia Ave.		
Road Segment:	SR-91 WB Off-Ramp to SR-91 WB On-Ramp		

PROJECT DATA		SITE DATA	
Centerline Dist to Barrier	**0**	Road Grade:	0
Barrier (0=wall, 1= berm):	**0**	Average Daily Traffic:	36900
Receiver Barrier Dist:	**0**	Peak Hour Traffic:	**3690**
Centerline Dist. To Observer:	**100**	Vehicle Speed:	40
Barrier Near Lane CL Dist:	**0**	Centerline Separation:	80
Barrier Far lane CL Dist:	**0**		
Pad Elevation:	**0.5**		
Road Elevation:	**0**		
Observer Height (above grade):	**0**		
Barrier Height:	**0**		
Rt View: **90**	Lft View: **-90**		

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	56.5	65.3	63.5	57.5	66.1	66.7
Medium Trucks:	65.5	57.4	51.1	49.5	58.0	58.2
Heavy Trucks:	70.3	58.4	49.4	50.6	60.3	60.4
Vehicle Noise:	**72.7**	**66.9**	**64.0**	**59.0**	**67.6**	**68.1**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR	
Unmitigated	
60 dBA	864
65 dBA	273
70 dBA	86
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Future Plus Project
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Magnolia Ave.		
Road Segment:	West of Tyler St.		

PROJECT DATA		SITE DATA	
Centerline Dist to Barrier	**0**	Road Grade:	0
Barrier (0=wall, 1= berm):	**0**	Average Daily Traffic:	38900
Receiver Barrier Dist:	**0**	Peak Hour Traffic:	**3890**
Centerline Dist. To Observer:	**100**	Vehicle Speed:	40
Barrier Near Lane CL Dist:	**0**	Centerline Separation:	50
Barrier Far lane CL Dist:	**0**	**NOISE INPUTS**	
Pad Elevation:	**0.5**	Site conditions **HARD SITE**	
Road Elevation:	**0**	**FLEET MIX**	
Observer Height (above grade):	**0**		
Barrier Height:	**0**		
Rt View: **90**	Lft View: **-90**		

NOISE SOURCE ELEVATIONS (Feet)	
Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	57.2	66.0	64.2	58.1	66.7	67.3
Medium Trucks:	66.1	58.1	51.7	50.1	58.6	58.8
Heavy Trucks:	71.0	59.0	50.0	51.2	60.9	61.0
Vehicle Noise:	**73.3**	**67.5**	**64.6**	**59.7**	**68.2**	**68.7**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR	
Unmitigated	
60 dBA	912
65 dBA	288
70 dBA	91
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Future Plus Project
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Martin Luther King Blvd.		
Road Segment:	East of Iowa Ave.		

PROJECT DATA

Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**
Rt View: **90**	Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA

Road Grade:	0
Average Daily Traffic:	24600
Peak Hour Traffic:	**2460**
Vehicle Speed:	35
Centerline Separation:	46

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	53.6	62.4	60.6	54.5	63.1	63.7
Medium Trucks:	63.3	55.2	48.8	47.3	55.8	56.0
Heavy Trucks:	68.5	56.6	47.5	48.7	58.6	58.8
Vehicle Noise:	**70.9**	**64.3**	**61.1**	**56.4**	**65.0**	**65.5**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR

Unmitigated	
60 dBA	424
65 dBA	134
70 dBA	42
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Future Plus Project
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Martin Luther King Blvd.		
Road Segment:	East of Kansas Ave.		

PROJECT DATA

Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**

Rt View: **90** Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA

Road Grade:	0
Average Daily Traffic:	24800
Peak Hour Traffic:	**2480**
Vehicle Speed:	35
Centerline Separation:	46

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	53.6	62.4	60.6	54.5	63.2	63.8
Medium Trucks:	63.3	55.3	48.9	47.3	55.8	56.0
Heavy Trucks:	68.5	56.6	47.5	48.8	58.7	58.8
Vehicle Noise:	**71.0**	**64.3**	**61.2**	**56.5**	**65.0**	**65.5**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR

Unmitigated	
60 dBA	428
65 dBA	135
70 dBA	43
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Future Plus Project
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Pierce St.		
Road Segment:	West of La Sierra Ave.		

PROJECT DATA		SITE DATA	
Centerline Dist to Barrier	**0**	Road Grade:	0
Barrier (0=wall, 1= berm):	**0**	Average Daily Traffic:	20600
Receiver Barrier Dist:	**0**	Peak Hour Traffic:	**2060**
Centerline Dist. To Observer:	**100**	Vehicle Speed:	40
Barrier Near Lane CL Dist:	**0**	Centerline Separation:	45
Barrier Far lane CL Dist:	**0**	**NOISE INPUTS**	
Pad Elevation:	**0.5**	Site conditions **HARD SITE**	
Road Elevation:	**0**	**FLEET MIX**	
Observer Height (above grade):	**0**		
Barrier Height:	**0**		
Rt View: **90**	Lft View: **-90**		

NOISE SOURCE ELEVATIONS (Feet)	
Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	54.5	63.3	61.5	55.4	64.0	64.7
Medium Trucks:	63.4	55.4	49.0	47.4	55.9	56.1
Heavy Trucks:	68.3	56.3	47.3	48.5	58.2	58.4
Vehicle Noise:	**70.7**	**64.8**	**61.9**	**57.0**	**65.6**	**66.0**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR	
Unmitigated	
60 dBA	483
65 dBA	153
70 dBA	48
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Future Plus Project
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Riverwalk Pkwy.		
Road Segment:	Sierra Vista Ave. to Raley Dr.		

PROJECT DATA

Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**
Rt View: **90**	Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA

Road Grade:	0
Average Daily Traffic:	28200
Peak Hour Traffic:	**2820**
Vehicle Speed:	40
Centerline Separation:	45

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	55.9	64.6	62.8	56.8	65.4	66.0
Medium Trucks:	64.8	56.7	50.4	48.8	57.3	57.5
Heavy Trucks:	69.6	57.7	48.7	49.9	59.6	59.7
Vehicle Noise:	**72.0**	**66.2**	**63.3**	**58.3**	**66.9**	**67.4**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR

Unmitigated	
60 dBA	660
65 dBA	209
70 dBA	66
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Future Plus Project
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Trautwein Rd.		
Road Segment:	South of Alessandro Blvd.		

PROJECT DATA

Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**

Rt View: **90** Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA

Road Grade:	0
Average Daily Traffic:	32700
Peak Hour Traffic:	**3270**
Vehicle Speed:	50
Centerline Separation:	60

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	59.1	67.8	66.1	60.0	68.6	69.2
Medium Trucks:	66.7	58.7	52.3	50.7	59.2	59.4
Heavy Trucks:	71.0	59.0	50.0	51.2	60.6	60.7
Vehicle Noise:	**73.3**	**68.9**	**66.4**	**61.1**	**69.7**	**70.2**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR

Unmitigated	
60 dBA	1319
65 dBA	417
70 dBA	132
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Future Plus Project
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Tyler St.		
Road Segment:	North of Magnolia Ave.		

PROJECT DATA		SITE DATA	
Centerline Dist to Barrier	**0**	Road Grade:	0
Barrier (0=wall, 1= berm):	**0**	Average Daily Traffic:	28700
Receiver Barrier Dist:	**0**	Peak Hour Traffic:	**2870**
Centerline Dist. To Observer:	**100**	Vehicle Speed:	40
Barrier Near Lane CL Dist:	**0**	Centerline Separation:	60
Barrier Far lane CL Dist:	**0**	**NOISE INPUTS**	
Pad Elevation:	**0.5**	Site conditions **HARD SITE**	
Road Elevation:	**0**	**FLEET MIX**	
Observer Height (above grade):	**0**		
Barrier Height:	**0**		
Rt View: **90**	Lft View: **-90**		

NOISE SOURCE ELEVATIONS (Feet)	
Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	55.7	64.5	62.7	56.6	65.3	65.9
Medium Trucks:	64.7	56.6	50.2	48.6	57.1	57.4
Heavy Trucks:	69.5	57.6	48.5	49.7	59.5	59.6
Vehicle Noise:	**71.9**	**66.1**	**63.2**	**58.2**	**66.8**	**67.3**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR	
Unmitigated	
60 dBA	673
65 dBA	213
70 dBA	67
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Future Plus Project
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Tyler St.		
Road Segment:	North of SR-91		

PROJECT DATA		SITE DATA	
Centerline Dist to Barrier	**0**	Road Grade:	0
Barrier (0=wall, 1= berm):	**0**	Average Daily Traffic:	46500
Receiver Barrier Dist:	**0**	Peak Hour Traffic:	**4650**
Centerline Dist. To Observer:	**100**	Vehicle Speed:	35
Barrier Near Lane CL Dist:	**0**	Centerline Separation:	60
Barrier Far lane CL Dist:	**0**	**NOISE INPUTS**	
Pad Elevation:	**0.5**	Site conditions **HARD SITE**	
Road Elevation:	**0**	**FLEET MIX**	
Observer Height (above grade):	**0**		
Barrier Height:	**0**		
Rt View: **90**	Lft View: **-90**		

NOISE SOURCE ELEVATIONS (Feet)	
Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	56.1	64.9	63.1	57.0	65.7	66.3
Medium Trucks:	65.9	57.8	51.4	49.8	58.3	58.6
Heavy Trucks:	71.1	59.1	50.1	51.3	61.2	61.3
Vehicle Noise:	**73.5**	**66.9**	**63.7**	**59.0**	**67.6**	**68.0**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR	
Unmitigated	
60 dBA	802
65 dBA	254
70 dBA	80
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Future Plus Project
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Van Buren Blvd		
Road Segment:	North of SR-91		

PROJECT DATA		SITE DATA	
Centerline Dist to Barrier	**0**	Road Grade:	0
Barrier (0=wall, 1= berm):	**0**	Average Daily Traffic:	45700
Receiver Barrier Dist:	**0**	Peak Hour Traffic:	**4570**
Centerline Dist. To Observer:	**100**	Vehicle Speed:	40
Barrier Near Lane CL Dist:	**0**	Centerline Separation:	60
Barrier Far lane CL Dist:	**0**	**NOISE INPUTS**	
Pad Elevation:	**0.5**	Site conditions **HARD SITE**	
Road Elevation:	**0**	**FLEET MIX**	
Observer Height (above grade):	**0**		
Barrier Height:	**0**		
Rt View: **90**	Lft View: **-90**		

NOISE SOURCE ELEVATIONS (Feet)	
Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	57.7	66.5	64.7	58.6	67.3	67.9
Medium Trucks:	66.7	58.6	52.2	50.7	59.2	59.4
Heavy Trucks:	71.5	59.6	50.5	51.8	61.5	61.6
Vehicle Noise:	**73.9**	**68.1**	**65.2**	**60.2**	**68.8**	**69.3**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR	
Unmitigated	
60 dBA	1072
65 dBA	339
70 dBA	107
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Future Plus Project
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Van Buren Blvd		
Road Segment:	South of Cleveland Ave.		

PROJECT DATA

Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**
Rt View: **90**	Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA

Road Grade:	0
Average Daily Traffic:	41200
Peak Hour Traffic:	**4120**
Vehicle Speed:	55
Centerline Separation:	45

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	61.5	70.3	68.5	62.4	71.0	71.6
Medium Trucks:	68.6	60.5	54.2	52.6	61.1	61.3
Heavy Trucks:	72.6	60.6	51.6	52.8	62.1	62.2
Vehicle Noise:	**74.9**	**71.2**	**68.7**	**63.3**	**71.9**	**72.5**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR

Unmitigated	
60 dBA	2117
65 dBA	669
70 dBA	212
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Future Plus Project
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Van Buren Blvd		
Road Segment:	West of Washington St.		

PROJECT DATA

Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**
Rt View: **90**	Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA

Road Grade:	0
Average Daily Traffic:	34800
Peak Hour Traffic:	**3480**
Vehicle Speed:	55
Centerline Separation:	40

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	60.8	69.6	67.8	61.7	70.4	71.0
Medium Trucks:	68.0	59.9	53.5	51.9	60.4	60.6
Heavy Trucks:	71.9	60.0	50.9	52.1	61.4	61.5
Vehicle Noise:	**74.2**	**70.5**	**68.1**	**62.7**	**71.3**	**71.8**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR

Unmitigated	
60 dBA	1787
65 dBA	565
70 dBA	179
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Future Plus Project
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Van Buren Blvd		
Road Segment:	West of Wood Rd.		

PROJECT DATA		SITE DATA	
Centerline Dist to Barrier	0	Road Grade:	0
Barrier (0=wall, 1= berm):	0	Average Daily Traffic:	43600
Receiver Barrier Dist:	0	Peak Hour Traffic:	4360
Centerline Dist. To Observer:	100	Vehicle Speed:	55
Barrier Near Lane CL Dist:	0	Centerline Separation:	40
Barrier Far lane CL Dist:	0	**NOISE INPUTS**	
Pad Elevation:	0.5	Site conditions **HARD SITE**	
Road Elevation:	0	**FLEET MIX**	
Observer Height (above grade):	0		
Barrier Height:	0		
Rt View: 90	Lft View: -90		

NOISE SOURCE ELEVATIONS (Feet)	
Autos:	0
Medium Trucks:	2.3
Heavy Trucks:	8

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	61.8	70.6	68.8	62.7	71.4	72.0
Medium Trucks:	68.9	60.9	54.5	52.9	61.4	61.6
Heavy Trucks:	72.9	61.0	51.9	53.1	62.4	62.5
Vehicle Noise:	**75.2**	**71.5**	**69.1**	**63.6**	**72.2**	**72.8**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR	
Unmitigated	
60 dBA	2239
65 dBA	708
70 dBA	224
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Future Plus Project
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Van Buren Blvd		
Road Segment:	North of Arlington Ave.		

PROJECT DATA		SITE DATA	
Centerline Dist to Barrier	**0**	Road Grade:	0
Barrier (0=wall, 1= berm):	**0**	Average Daily Traffic:	52500
Receiver Barrier Dist:	**0**	Peak Hour Traffic:	**5250**
Centerline Dist. To Observer:	**100**	Vehicle Speed:	45
Barrier Near Lane CL Dist:	**0**	Centerline Separation:	65
Barrier Far lane CL Dist:	**0**		
Pad Elevation:	**0.5**		
Road Elevation:	**0**		
Observer Height (above grade):	**0**		
Barrier Height:	**0**		
Rt View: **90**	Lft View: **-90**		

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	59.7	68.5	66.7	60.7	69.3	69.9
Medium Trucks:	68.0	60.0	53.6	52.0	60.5	60.7
Heavy Trucks:	72.5	60.6	51.5	52.8	62.3	62.4
Vehicle Noise:	**74.9**	**69.8**	**67.1**	**62.0**	**70.5**	**71.0**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR	
Unmitigated	
60 dBA	1632
65 dBA	516
70 dBA	163
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Future Plus Project
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Van Buren Blvd		
Road Segment:	North of Colorado Ave.		

PROJECT DATA

Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**

Rt View: **90** Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA

Road Grade:	0
Average Daily Traffic:	41700
Peak Hour Traffic:	**4170**
Vehicle Speed:	40
Centerline Separation:	45

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	57.5	66.3	64.5	58.5	67.1	67.7
Medium Trucks:	66.5	58.4	52.1	50.5	59.0	59.2
Heavy Trucks:	71.3	59.4	50.4	51.6	61.3	61.4
Vehicle Noise:	**73.7**	**67.9**	**65.0**	**60.0**	**68.6**	**69.1**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR

Unmitigated	
60 dBA	977
65 dBA	309
70 dBA	98
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Future Plus Project
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Van Buren Blvd		
Road Segment:	North of Colorado Ave.		

PROJECT DATA	
Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**
Rt View: **90**	Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)	
Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA	
Road Grade:	0
Average Daily Traffic:	65100
Peak Hour Traffic:	**6510**
Vehicle Speed:	55
Centerline Separation:	75

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	63.1	71.8	70.1	64.0	72.6	73.2
Medium Trucks:	70.2	62.1	55.7	54.2	62.7	62.9
Heavy Trucks:	74.1	62.2	53.2	54.4	63.6	63.8
Vehicle Noise:	**76.5**	**72.8**	**70.3**	**64.9**	**73.5**	**74.0**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR	
Unmitigated	
60 dBA	3346
65 dBA	1058
70 dBA	335
Mitigated	
60 dBA	
65 dBA	
70 dBA	



Federal Highway Administration RD-77-108
Traffic Noise Prediction Model (CALVENO)

Project Name:	Riverside Housing Element Update	Scenario:	Future Plus Project
Analyst:	Ryan Richards	Job #:	158820
Roadway:	Victoria Ave.		
Road Segment:	West of Van Buren Blvd.		

PROJECT DATA

Centerline Dist to Barrier	**0**
Barrier (0=wall, 1= berm):	**0**
Receiver Barrier Dist:	**0**
Centerline Dist. To Observer:	**100**
Barrier Near Lane CL Dist:	**0**
Barrier Far lane CL Dist:	**0**
Pad Elevation:	**0.5**
Road Elevation:	**0**
Observer Height (above grade):	**0**
Barrier Height:	**0**
Rt View: **90**	Lft View: **-90**

NOISE SOURCE ELEVATIONS (Feet)

Autos:	**0**
Medium Trucks:	**2.3**
Heavy Trucks:	**8**

SITE DATA

Road Grade:	0
Average Daily Traffic:	10600
Peak Hour Traffic:	**1060**
Vehicle Speed:	40
Centerline Separation:	55

NOISE INPUTS

Site conditions **HARD SITE**

FLEET MIX

Type	Day	Evening	Night	Daily
Auto	0.775	0.129	0.096	0.9742
Med. Truck	0.848	0.049	0.103	0.0184
Heavy Truck	0.865	0.027	0.108	0.0074

UNMITIGATED NOISE LEVELS (No topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	51.5	60.2	58.4	52.4	61.0	61.6
Medium Trucks:	60.4	52.3	46.0	44.4	52.9	53.1
Heavy Trucks:	65.3	53.3	44.3	45.5	55.2	55.3
Vehicle Noise:	**67.6**	**61.8**	**58.9**	**53.9**	**62.5**	**63.0**

MITIGATED NOISE LEVELS (With topographic or barrier attenuation)

Vehicle Type	Peak Leq	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:						
Medium Trucks:						
Heavy Trucks:						
Vehicle Noise:						

CENTERLINE NOISE CONTOUR

Unmitigated	
60 dBA	248
65 dBA	79
70 dBA	25
Mitigated	
60 dBA	
65 dBA	
70 dBA